

185h

THE  
MAGNETIC ATLAS,  
OR  
VARIATION CHARTS

OF THE WHOLE  
TERRAQUEOUS GLOBE;  
COMPRISING A  
SYSTEM  
OF THE  
VARIATION AND DIP OF THE NEEDLE,

BY WHICH,  
THE OBSERVATIONS BEING TRULY MADE,  
THE LONGITUDE  
MAY BE ASCERTAINED.

---

By JOHN CHURCHMAN.

---

London:

PRINTED FOR THE AUTHOR, BY DARTON AND HARVEY;  
AND SOLD BY JOHN SEWELL, CORNHILL; CHARLES DILLY, POULTRY; T. AND J.  
EGERTON, OPPOSITE THE ADMIRALTY; JAMES PHILLIPS, GEORGE YARD,  
LOMBARD-STREET; AND STEEL AND SON, TOWER-HILL.

MDCCXCIV.

[Entered at Stationers-Hall.]

21

THE  
MAGNETIC ATLAS

OF  
VARIATION CHARTS

OF THE WORLD  
TERRAQUEOUS GLOBE

COMPREHENDING A  
SYSTEM

OF THE  
VARIATION AND DIP OF THE NEEDLE

BY WHICH  
THE OBSERVATIONS  
MAY BE ASCERTAINED  
THE  
*Jos: Banks*

BY JOHN CHURCHMAN

LONDON:

Printed by J. B. G. [illegible]



---

## P R E F A C E.

---

**I**T appears probable, that one of the principal causes, why more useful discoveries are not made, is the fear of ridicule, which is sometimes the lot of those who promulgate new opinions, and attempt new experiments. A desire of avoiding the sarcasms of ignorance and malevolence, may suppress many useful inventions; yet we find some gradually press forward; and although, for want of encouragement, an hundred probable schemes may sink in oblivion, there will ever be some of such magnitude, in the minds of their own inventors, that they will burst into day, and either go off in vapour, or remain permanent lights.

IN a situation of speculative enquiry, I confess I had for sometime continued, but in the beginning of the year 1787, I risked a declaration of my opinions before the public, apprehending I had formed a plan of much importance to navigation, and confiding in their generosity to give it a candid reception; which, in a great measure, I was so fortunate as to obtain: now, as the first principles seem to be universally admitted, I have the more reason to hope for further indulgence towards the present publication. If any imperfections should be found in the arrangement, the reader is respectfully solicited to excuse the defect; and I trust,

under a conviction that this work will do no injury to mankind, it may at least obtain for me their forgiveness, if not their thanks for my intention of rendering them a service. And yet, I must acknowledge, that, in pursuing this subject, I considered it also as an object of emolument; and with this view have accepted the invitation held out by many governments, with promises of a generous reward, to engage persons in the public service.

In the following treatise I shall proceed to describe, in a more particular manner, the elements of a system, which, if the observations can always be truly made, I apprehend, attains to the actual and complete discovery of the longitude. This indeed is a subject which, when attempted, has sometimes excited a smile, yet I risk that for the public good.

THE variation of the compass, and its heretofore uncertain laws, have long engaged the attention of philosophers. Why it should change, at one time quick, at another time slow, now become stationary, and then retrograde, has puzzled the enquirer. These varieties have long been subjects of observation; yet I have never heard that any regular system has hitherto been published, that would rationally account for, or foretel, the future movements of that wonderful phenomenon, the magnetic influence.

ON the contrary, the modern writers on this subject, some of whose names are mentioned in the introduction, have signified that all former endeavours to establish a theory have proved insufficient; nevertheless, it has long been supposed



supposed that if all the true principles of the variation were known, nothing short of a discovery of the longitude would be the natural consequence.

THE Egyptians, by reason of the overflowing of the Nile, which either washed away their landmarks, or covered them with mud, brought geometry into a science, and honoured its professors. From measuring the earth, they soon began to measure the heavens. If from Egypt this kind of knowledge was brought to Greece, by degrees it spread over Europe, and the great monuments of learning continuing unshaken to the present day, demonstrate the wisdom of the ancients in chusing geometry for their foundation.

CIRCUMSTANCES in the present case are somewhat different from those in Egypt; from the first settlement of the United States of America to the present time, the lands have been laid out on geometrical principles, and the courses of the boundary lines run by the assistance of the magnetic needle, as if there was no variation of the variation. In process of time, when the lands came to be resurveyed, the same courses and distances would not cover the same ground, without an allowance proportioned to the situation of the place, and the date of the original survey. The great number of tracts of land laid out from time to time throughout the country afford the means of ascertaining the nature of the change of the variation.

To arrive at a competent knowledge of the laws of the magnet, an universal set of observations seemed absolutely necessary. In Europe records of the variation have been handed

handed down at those few places, where learned societies are established. The want of a sufficient number of such records have been much lamented by those who have applied themselves to this subject; and the set could not be complete without a series of observations in America. In that country a certain system, by which the proper allowance could be made, by degrees, became a great national object, independent of its extensive use in Navigation, and the confusion arising from the want of it has occasioned many disputes and law-suits.

IN pursuance of an appointment to a public office under government in that country, the duty of which sometimes required the settlement of such disputes, I was led to pay attention to this subject; in this respect I stepped not out of the line of my profession.

THE date of each original survey being recorded, there was nothing to do but determine the latitude and longitude of many tracts of land, and the present courses of the lines, in order to find what the variation had been at the first survey.

BESIDES, in collecting materials for a map which I published, mostly from actual surveys, including the maritime parts of West Jersey, Pennsylvania, Maryland, Virginia, and all the Delaware State; as these surveys were made from time to time by the magnetic needle, without allowance for variation, I had to make calculations, that the map might be consistent with the truth.



P R E F A C E . O 3 vii

If the several respectable characters in Europe, who have applied themselves to this subject, have not succeeded in the attempt, it is fair to suppose that it was from the want of sufficient data: with helps, which seemed out of their reach, it may not perhaps be deemed presumptuous in me to renew the attempt, though others have failed.

THE introduction of a number of new terms being absolutely necessary, as they are accompanied with definitions, this step will be excusable.

MANY reports and letters have been received by the author from learned societies and individuals; a few only of these will be found in the Appendix. To publish the whole might appear ostentatious.

CONTENTS.

# C O N T E N T S.

<b>INTRODUCTION.</b>	<b>PAGE. 1</b>
<b>C H A P. I.</b>	
<i>Definitions and Corollaries.</i>	31
<b>C H A P. II.</b>	
<i>Solution of Problems.</i>	35
<b>C H A P. III.</b>	
<i>The Objection of false Variation removed.</i>	50
<b>C H A P. IV.</b>	
<i>Hints concerning the Cause of the magnetic Variation.</i>	53
<b>C H A P. V.</b>	
<i>Concerning the Construction of the Charts.</i>	55
<b>C H A P. VI.</b>	
<i>Hypothesis concerning magnetic Tides.</i>	56

## A P P E N D I X,

<i>Containing Reports, Opinions, &amp;c. on the Principles of the Work.</i>	
<i>Letter from the American Minister and Plenipotentiary, then at the court of France.</i>	65
<i>Letter from Sir Joseph Banks, Bart. President of the Royal Society of London.</i>	66
<i>Letter from the Legislature in Maryland.</i>	67
<i>Letter from Sir H. Parker, Bart.</i>	ibid.
<i>Remark.</i>	68
<i>Report of a Committee of the American Congress</i>	69
<i>Extract of the Opinion of Professor Van Swinden.</i>	70
<i>Report made to the Marine Society in Philadelphia.</i>	71
<i>Letter by order of General Washington.</i>	ibid.
<i>Extract of an Opinion of the George Augustus University, Gottingen.</i>	72
<i>Extract of a Letter from the Astronomer Royal at Berlin.</i>	ibid.
<i>Extract from the Reports made to the Royal Prussian Academy, &amp;c.</i>	73
<i>Letter from her Highness Princess of Daschkaw.</i>	74
<i>Extract of a Letter from the Royal Society of Copenhagen.</i>	ibid.
<i>Extract from the Report made to the Honourable Patriotic Encouraging Society of Arts and Commerce, at Hamburgh.</i>	75
<i>Extract of a Letter from the Royal Academy of Lisbon.</i>	ibid.
<i>Extract of a Letter from the American Academy of Arts Cambridge.</i>	76
<i>Letter from General Washington, President of the United States.</i>	ibid.

**INTRO.**



---

# INTRODUCTION.

---

## HISTORY OF MAGNETIC DISCOVERIES.

**I**T seems to be a fact well authenticated, that the attractive quality of the Magnet has been known in the most remote ages; a number of the earliest writers, such as Homer, Pythagoras, and others make mention thereof. According to Pliny and Nicander, it took its name from Magnes, a Herdsman, who having his shoes and staff armed with iron, and resting himself on a quantity of loadstone on Mount Ida, he could not easily remove his feet or lift up his staff; he soon perceived that the attractive virtue was in the stone. Others call it Lapis Heraclaeus, from Heraclea, a city of Magnesia, where they suppose it to have been found. Thales and Anaxagoras say that the magnet hath life, whereby it attracteth iron. Plato thought this attraction to be divine, and some that there is a sympathy between the magnet and iron, as between male and female, as Orpheus and Lucretius have sung.

**ALTHOUGH** these early writers were acquainted with the loadstone, they must have been ignorant of its polarity:

B

yet

yet like many of the moderns, they might have amused themselves with its attractive quality.

NEVERTHELESS it appears from Du Hald's General History of China, and from other authorities, that the Magnetic Needle was known to that nation 1040 years before Christ. However, many European writers have each claimed for their own particular country the honour of inventing the Mariner's Compass, others have been satisfied in naming the persons who first introduced it into Europe, and improved upon the invention.

THE apostle Paul, in the account of his voyage to Rome, by some English translators is made to say, from Syracuse we *set* a compass, and came to Rhegium. These learned divines could hardly mean a Mariner's Compass, because no such thing is mentioned in the original.

SIR Roger L'Estrange also, in the translation of that Chapter of Seneca's Morals which treats on a Happy Life, in speaking of a careful seaman, says "he consults his compass, and keeps aloof from those places that are infamous for wrecks and miscarriages." Whoever takes the trouble to examine the original will be convinced of the unwarrantable liberty taken by the translator.

GUYOT de Provins, a French poet, who wrote about the year 1180, makes express mention of the loadstone and the compass; and their use in navigation is also hinted at, notwithstanding Dr. Gilbert informs us that Paulus Venetus (or Marco Paulo, a Venetian) brought this invention from China to Italy in the year 1260. Be this as it may, the northern  
nations



## I N T R O D U C T I O N.

iii

nations of Europe appear to have been acquainted with it soon after, for the year 1266 is remarkable for the death of the Swedish count *Byrgeris*, who by the Swedes is called Duke Pontana Byrger Jarl. Sturla celebrated his memory in a poem consisting of twelve verses, and when he attended the king to the boundaries of the kingdom, he produced this poem in an assembly of the states; and, as a reward for his genius, he was presented with a Mariner's Compass. See Torfaeus (*Thormodus*) *Historia Rerum Norvegicarum*, 4 tom. folio 345. All these accounts are prior to the time when this invention has generally been supposed to be first introduced into Europe; for it has been said that John or Flavio de Goia, or Gioia, or Gioja, or Giova, or Gira, invented this instrument in the year 1300 or 1302.

For some time after the Mariner's Compass was made use of in Navigation, it was thought the needle at all places pointed due north; but the celebrated Christopher Columbus, during his first voyage to America, discovered the variation on the 14th of September 1492, as his son Ferdinand asserts in an account of his father's life, written originally in Spanish, and printed in Italian, at Venice, in the year 1571, his mutinous crew concluding the needle had lost its polarity, they were afraid of not finding their way to Europe.

It is true some have attributed this discovery to Sebastian Cabot, a Venetian, who is said to have made it in the year 1500.

The remarkable property of the dipping needle was discovered, in the year 1576, by Robert Norman, a mathematical instrument maker, in the suburbs of London. His

book "*The new Attractive*," gives an account of this discovery. He tells us that, "having made many Compasses, and "always balancing the needles before he touched them with "the magnet, he found continually that, after he had touched them, the north point would incline downwards, under "the horizon, insomuch that the fly (or card) of the compass, which before was equal, he was still constrained to "put some small piece of wire on the south part thereof, to "counterpoise it." He then communicated his observations to some of his literary friends, who advised him to frame an instrument, and make an exact trial what would be the greatest angle it would make with the horizon; and he found the inclination (or dip) when the discovery was made, to be  $71^{\circ} 50'$ , or thereabouts.

IN Norman's "*New Attractive*" and in a discourse on the variation of the Compass by his friend and patron William Borough, Comptroller of the Navy to Queen Elizabeth, both published in 1581, and bound together, they say "the "variation is  $11^{\circ} 15'$  east;" but this observation was made by the Comptroller in the year 1580, at Lime-House. The altitudes of the sun were taken by him to each degree of a quadrant, both before and afternoon, from  $17^{\circ}$  to  $25^{\circ}$ , being the mean of nine several observations, and at every altitude turning his compass to the sun, observed the degree and parts cut thereby; then comparing the magnetical azimuths made in the forenoon with those in the afternoon, answerable to the same solar altitudes, the half of the difference gave the variation. The works of Norman and Borough were corrected, amended, and reprinted in the year 1585, and as the variation was decreasing, it must necessarily have been much less that year; but as they still say the variation



## I N T R O D U C T I O N.

v

variation, was  $11^{\circ} 15'$  east, it is clear they had no suspicion it was subject to alteration, or they would have observed it again, and have published the true variation as it must have been in the year 1585. In the next century William Borough is censured, for making no allowance for refraction, by Professor Gellibrand, who made a new calculation from the observations of Borough, and, after allowance for refraction, he found the variation for the year 1580 to have been only  $11^{\circ}$  east.

THE magnetic variation was taken under consideration by Prince Maurice, of Nassau, lord high admiral of the United Provinces, of the Low Countries; and, in order to be acquainted with its laws, he caused his mathematician, Simon Stephen, to write a book, this was published at Leyden in the year 1599. This excellent prince enjoined all seamen under his jurisdiction to make diligent observations in all their voyages, under consideration of the great advantage which might accrue, if the variation of the needle in all places were truly known: he gave command to all that should take charge of ships, that before they took their departure they should provide themselves proper instruments for this purpose, that, into what place soever they might come, they should diligently observe the magnetic variation; and that, after their return into their own country, they should give a true certificate of those observations to the rest of their colleagues, and companies of the admiralty, that by them they might be brought into order, and published for the general good; desiring also to stir up other nations to the same care and diligence. In the same year 1599 this treatise was translated into English by Edward Wright, Fellow of Caius College, Cambridge, that famous mathematician who invented or improved the

2

projection

projection of the sphere, commonly called Mercator's. In his dedication to the Earl of Nottingham, seeming to forget his own additions, he tells him that he brings before his presence that Dutch Pilot, (meaning the book) whom, since its arrival, he has taught to speak English. This publication contains a table of variations, as observed at sea and land (in contradiction to Pedro de Medina, who doubted the existence of the variation) and asserted that the quantity was very different in different places; and that an allowance was necessary in steering the course of a ship. But all this time it seems nobody suspected a variation of the variation; for Edward Wright (who was sometime tutor to Prince Henry) tells us, "the same place hath always the same latitude and variation."

Dr. William Gilbert, physician in ordinary to Queen Elizabeth and to James I. in his book "de Magnete" published in 1600, gave his opinion on this abstruse matter: he supposed that the earth itself, being in all parts magnetical, and the water not, wheresoever the land was, thither also should the needle turn, as to the greater quantity of magnetical matter. This opinion seems to have been long laid aside, by common consent; for some time after on the Coast of Brazil, the needle, instead of being attracted by the land, turned quite another way. Doctor Gilbert's book contains a number of curious experiments, but still he was a stranger to the variation of the variation, for he asserts *Variatio uniuscujusq; Lociconstans est*: that is to say, the variation of every place is uniformly the same.

WILLIAM Barlow, in the year 1613, in his book called "Magnetical Advertisements" gives a number of experiments



ments, but makes no attempt to form a theory. In the same year "A short treatise of Magnetic Bodies and Motions" made its appearance, published by Doctor Mark Ridley, sometime physician to the Emperor of Russia. His opinions concerning the cause of the variation were nearly similar to Doctor Gilbert's.

FRANCIS Bacon, baron of Verulam, viscount St. Albans, and lord high chancellor of Great Britain, 'is considered with propriety as the father of that valuable branch of philosophy, founded on fact and observation: they that record his failings, like those who have observed spots in the sun, neither pretend to diminish his real brightness, nor deny the universal influence which he acquired in the world of science. He began early in life to perceive that useful knowledge must be founded on the rock of experiment, and composed of more substantial materials than had been employed through a course of many centuries: in this his own genius, aided by a singular discernment, must have been his principal preceptor. A philosophy built on this foundation could not make a sudden general revolution in the learned world, but its progress, like that of time, quiet, slow, and sure, has at length proved irresistible and universal. Among his countrymen, the great names of those who have adopted his notions, and proceeded on his plans, are his highest encomiums; to pass over a long list of illustrious names, he reckons a Boyle, a Lock, and even a Newton, amongst his followers.

If chancellor Bacon, who pointed out the path to those sublime heights in experimental philosophy, at which his followers have arrived, did not himself discover the variation

tion of the variation, yet as it was discovered by that mode of experiment which he recommended, he no doubt contributed thereto; for in the year 1622, being about four years before the chancellor's death, the variation was discovered to change in the same place by Professor Edmund Gunter, of Gresham college, the inventor of that admirable scale or ruler which still bears his name, who found it to be only  $6^{\circ} 13'$  east this year, which is  $5^{\circ} 2'$  less than what it was recorded by Norman and Borough to have been forty-two years before. This discovery of the change of the variation has hitherto been attributed to Henry Gellibrand, professor of astronomy and successor to Gunter in Gresham College; but Professor Gellibrand himself in "*A Discourse Mathematical, on the Variation of the magnetic Needle*," published in 1635; gives us the variation as observed both by Borough and Gunter; and as the latter found it to be  $5^{\circ} 2'$  less than the former, it seems that Gunter first observed this alteration. No doubt Professor Gellibrand first published to the world this variation of the variation, for he says an acquaintance of his, applying Gunter's own needle to the side of the cubical stone of the king's dial, in Whitehall Garden, he could not find it so great as was observed by Gunter: they went to Diepford (or Deptford) in 1633, the day of the sun's entrance into the summer solstice, and found it much less than  $5^{\circ}$  east; and at the same place, on the 12th of June 1634, by the mean of nine azimuths, the refraction allowed for, the variation was  $4^{\circ} 1' 53''$  east. The famous Fontinelle, perpetual secretary of the Academy of Sciences at Paris, in his History of this Academy, has signified that Dr. Peter Gassendi, royal professor of mathematics in that city, was the principal discoverer of this property. Gassendi was one of the most celebrated literary characters  
France



France has produced, he wrote against the metaphysical meditations of Rene Des Cartes, the author of the Cartesian system of the universe, and divided with that great man the philosophers of his time, almost all of whom were Cartesians or Gassendians; however, we read in the Cyclopædia, under the article Variation, that Gassendi himself acknowledged he had before received information of Gellibrand's observations.

DES CARTES also attempted a theory of the magnetic variation: he supposed the iron and loadstone, hid in the bowels of the earth, and the bottom of the sea, might be the cause of the variation of the needle. A plausible hypothesis is sometimes more amusing to the imagination than the patient and humble method of experimenting, and pursuing Nature through all her labyrinths by fact and observation.

DES CARTES has the merit of first applying algebra to geometry, but his Natural Philosophy, which was published in the year 1659, has been entirely exploded even in his own country, since it came to be tried by the test of experiment. He long enjoyed so high a reputation that La Fontaine, who was the echo of the public voice, says, in ages past, when it was fashionable to deify men, Des Cartes would have ranked as much above human beings as man is superior to an oyster.

ON the 19th day of March 1674, Professor Robert Hook, giving to the Royal Society of London, of which he was a member, some account of the magnetic variation, only mentioned one magnetic pole; and concludes by saying, "whe-

C

" ther

x INTRODUCTION.

"ther it proceeds in a meridian, or in a parallel, or great circle, or any other regular curve; and, if in a curve, whether its concave or convex side be towards us, more time and observation must make clear."

In process of time it was found that the inclination (or dip) of the needle was more at one place than another. Henry Bond, after making this the subject of his study for many years, published a small treatise on "*the Inclination of the inclinatory Needle*." This was ushered into the world by the express command of King Charles II. to whom it was dedicated; and in this work he published tables of the Inclination, called Caroline tables, in honour of Charles, his royal patron. The zeal of this author, it seems, proved ineffectual; the learned Dr. Halley, F. R. S. and Astronomer Royal, says, that "Henry Bond pretends to calculate the variation, but he limits his hypothesis to the city of London; affirming himself, as he had a great deal of reason, that the same calculus is not sufficient for other places; whereby it appears this rule is far short of the so much desired general one." Bond's theory disagreed widely with observation in another instance; for Dr. Halley remarks that, at the entrance of Hudson's Bay and the mouth of the river of Plate, being nearly under the same meridian, at one place the variation in his time was  $29\frac{1}{2}$  degrees to the west, at the other  $20\frac{1}{2}$  degrees to the east; he says this plainly demonstrates the impossibility of reconciling these variations by the Theory of Bond; for, had it been a true one, under the same meridian the variation should be in all parts of it the same way. The same Dr. Halley, who made so many real improvements in science, spent much time in trying to ascertain the laws of the magnetic



netic variation: he published, in the year 1683, his first theory of the magnet, in which he made this conclusion. "The whole globe of the earth is one great magnet, having four "magnetical poles, or points of attraction; near each pole of "the equator two; and that, in those parts of the world which "lie near adjacent to any one of these magnetical poles, the "needle is governed thereby, the nearest pole being always predominant over the more remote." Although Dr. Halley's first theory was favourably received at home and abroad, he was soon sensible of several insurmountable difficulties in it. It is plain that the magnetic poles are not fixed, but moveable, as appears by the great changes of the needle's direction. In England, where this discovery was made, the direction of the needle has changed no less than 33 degrees in 200 years. Dr. Halley, probably considering the difficulty of forming any system without a number of observations, made application to government in the reign of William and Mary, when this matter was considered in so favourable a point of view, that the command of the *Paramour Pink*, one of the ships of the royal navy, was given to Dr. Halley, with orders to seek by observation the discovery of the rule of the variation of the compass. He set sail the first time, on the 20th of October 1698, for the southern hemisphere, and continued the voyage with great spirit until a disposition for mutiny was discovered by the commander among his men; he then bore away for Barbadoes, in order to exchange them; but this being impossible, at that time and place, he returned to Great Britain, where he arrived in June 1699.

HAVING got his lieutenant tried and cashiered, he set sail, the second time, in September following: he now tra-

versed the vast Atlantic ocean, in which he sailed to the fiftieth degree of southern latitude, and upwards. This voyage deserves to be remembered longer than that made by the antient Grecian princes, the Argonauts, who, under the conduct of Jason, went to Colchis, to fetch the golden fleece from thence. Dr. Halley made magnetic observations at Brazil, St. Helena, Barbadoes, Bermudas, Newfoundland, and other places on land and sea. He arrived in England in September 1700, and the next year published a chart on Mercator's projection; which will preserve his name longer than brass or marble. This was done by drawing lines through those parts where the variation was equal; but his observations were by no means universal. Dr. Halley now satisfied his first theory would not bear the test, communicated his second to the Royal Society under the following appellation: "An Account of the Cause of the Change of the Variation of the magnetical Needle, with an Hypothesis of the Structure of the internal Parts of the Earth."

In this paper he says, "these difficulties had wholly made me despond, and I had long since given over an enquiry I had so little hopes of, when in accidental discourse, and least expecting it, I stumbled on the following hypothesis. The external parts of the globe may well be reckoned as the shell, and the internal as a nucleus or inner globe included within ours, with a fluid medium between, which having the same common centre and axis of diurnal rotation, may turn about with our earth each twenty-four hours; only this outer sphere having its turning motion some small matter either swifter or slower than the internal ball: And a very minute difference



"ence in length of time, by many repetitions becoming  
"sensible, the internal parts will by degrees recede from the  
"external, and not keeping pace with one another will ap-  
"pear gradually to move either eastwards or westwards by  
"the difference of their motions."

DR. HALLEY supposes the fixed poles are the poles of this external shell or cortex of the earth, and the other two the poles of a magnetical nucleus, included and moveable within the other; and finally Dr. Halley concludes this motion is westward.

Instead of the motion of the magnetic influence moving westward, as Dr. Halley supposed, the two magnetic points will be found to move from west to east; the northern one quicker, and the southern slower, than the earth; so that the apparent revolution of the northern magnetic point is from west to east, and the apparent revolution of the southern magnetic point is from east to west.

SINCE Dr. Halley's chart was published, the greatest part of a century has passed, affording many observations. I hope to prove clearly, in the following work, by calculations from the actual observation from which Dr. Halley's chart was constructed, and from others, that two magnetic points alone, not diametrically opposite to each other, are sufficient to account for the singular figure of the lines passing through the points of equal variation: if so, it will appear unphilosophical to suppose more magnetic points than are absolutely necessary to account for the phenomena.

THE quantity of the variation being in a state of fluctuation throughout the world: at the same place it changes, at one time quick, at another time slow; sometimes almost stationary, and then retrograde; at the same time in different places, there is the same variety of changes. In the space of forty years the lines, laid down by Dr. Halley, were grown entirely useless; for want of a knowledge of the principles of the variation, other charts could not be constructed without a multitude of observations. William Mountain and James Dodson, Fellows of the Royal Society, undertook to renew the chart of Dr. Halley, and receiving the assistance of the commissioners of the navy, and of the directors of the East India, African and Hudson's Bay companies, they obtained leave to peruse the journals of those mariners who were under the direction of each respective body; from which the charts were republished for 1744 and 1756. From the great number of observations in their possession, they doubted not at first of being able to draw lines representing the variation at the four different periods, 1711, 1722, 1733, and 1744; and thence, by analogy, to have performed the same for 1755; but they soon found the impracticability of this scheme, as they themselves acknowledge, experience having pointed out to them the irregular mutations of the variation. Any expectation before retained of reconstructing a new set of lines, by analogy, soon vanished; and they were obliged to pursue their tedious method of proceeding, by collecting the greatest possible number of observations: thus they were enabled to approve of some and reject others; accordingly, as they were supposed to be supported or not by concurrent testimony, and from thence to draw lines representing the variation at that time, they also published charts of the same kind



kind for 1756; but those charts of Mountain and Dodson, not being constructed by their own observations, but from observations made by various captains of ships, the different methods of observing the variation, together with the uncertainty of the situations of places where the observations were made, these charts cannot be expected to be true in every part, any more than Dr. Halley's chart, which was not founded entirely on his own observations. Dr. Halley himself seems not to give them as exact, as well for want of a sufficient number of observations, as principally because many of the observations, upon which his chart was founded, were made long before the epocha of 1700.

It seems also as if Mountain and Dodson would represent in their charts, at one particular time, both more ancient and more modern observations; moreover their charts give to the East India line, of no variation, such an extravagant bend as no true theory can ever agree with; and such an one as the former errors, to which the observations were subject, could never admit; notwithstanding, it must be allowed these several charts, under all the disadvantages the authors were then subject to, must have been highly useful in the art of navigation, especially for steering the course of a ship.

In a short essay, published by Edward Hawksley, in 1745. he defines the magnetic poles to be two points diametrically opposite, towards which he says, the correspondent points of the needle always tend. This doctrine was advanced by Henry Bond in the last century, but proved by Dr. Halley to be erroneous; for, if Bond's and Hawksley's projects had been founded on just principles, under the same meridi-

an,

an, the variation should be in all parts of it the same way; which is certainly very far from the truth, because, it has been already mentioned, that, under the same meridian, the variation at one place was  $29\frac{1}{2}^{\circ}$  west, and at another place  $20\frac{1}{2}^{\circ}$  east.

THE diurnal variation, observed by Graham, Canton, and others, from actual experiments, seems reducible to certain fixed laws; therefore, this variation will hardly ever operate against the success of the present plan.

PROFESSOR Leonard Euler's Memoir on the magnetic variation was published among the memoirs of the Royal Academy of Sciences and Belles Lettres, at Berlin, for the year 1757. Several of the Encyclopædists have attributed this to one of his sons; some to his eldest son, John Albert Euler, knight of the order of St. Vladimir, and secretary to the imperial academy at Petersburg, his surname only being prefixed to the memoir, such a mistake might readily happen; but the princess of Daschkaw, who now fills the father's place, as president of the imperial academy of Sciences at Petersburg, in one of the letters which she has favoured me with, dated 31st of January 1792, says "the author of that Memoir, *Recherches sur la Déclinaison de l'Aiguille aimantée*, in the *Memoirs de l'Académie royale des Sciences de Berlin*, is the famous Leonard Euler, father to him who is now secretary to our Academy." Professor Euler's object is to shew, that there are but two magnetic poles, and these poles not diametrically opposite. The places of these magnetic poles he does not determine by calculation, but rather guesses at the situations they ought to occupy, to produce the Halleyan lines. These elements he varies



varies a number of times, as follows, to try which will best agree with the shape of the Halleyan lines: he supposes the distance between the arctic pole and the magnetic pole to be either  $15^{\circ}$ ,  $14^{\circ} 55'$ ,  $14^{\circ}$ , or  $17^{\circ}$ .

THE distance between the antarctic pole and the magnetic pole to be either  $25^{\circ}$ ,  $29^{\circ} 23'$ ,  $30^{\circ}$ ,  $35^{\circ}$ , or  $40^{\circ}$ .

THE angle at the north pole, formed by the meridians passing through the two magnetic poles, he supposes to be either  $40^{\circ}$ ,  $45^{\circ}$ ,  $53^{\circ} 18'$ , or  $63^{\circ}$ .

IN Professor Euler's preface he remarks, that all those who undertook this subject were soon obliged to abandon it, on account of the unconquerable difficulties which they met with; the principal cause was not so much in the strange figure of Dr. Halley's lines, which are hardly capable of being explained by any rules in geometry, as in the persuasion which they had adopted, on the authority of Dr. Halley, that the phenomena of the magnetic variation were caused by four magnetic poles.

ONE of the reasons why the Halleyan lines were so difficult to explain by the rules of geometry, is, because Halley's chart is laid down on Mercator's (or Wright's) projection; now the degrees of longitude being known to grow shorter on the globe, in proceeding from the equator to either pole of the earth, this projection causes the degrees of latitude to increase on the chart, as the degrees of longitude diminish on a globe; by these means the continents are strangely distorted; and although particular places preserve nearly their proper bearings from each other,

D

the

the relative magnitudes of islands, if situated in different latitudes, are entirely destroyed. In the present projection the magnetic meridians are drawn on a new plan, and very different from Dr. Halley's: they are so constructed that they form curves truly geometrical, and come within the most rigid rules of calculation.

PROFESSOR EULER fixes neither the latitudes, the longitudes, the revolutions, nor courses of the magnetic poles; neither does it appear that he proposed to discover the longitude by the magnetic variation. Moreover, what Professor Euler calls magnetic poles, I have taken the liberty to call magnetic points; giving the name of magnetic poles to the poles of the magnetic equator.

IN Professor Euler's remarks, at the latter end of his Memoir, he mentions the uncertainty in which he still remained respecting the true position of the magnetic poles. I think I may safely affirm, that, if the places of the magnetic points had been truly calculated, there would have been such an agreement between the observations and calculations, as appears in the sequel.

THE last paragraph of Professor Euler's Memoir is entitled, *Hypothese*: his conjecture is, that the magnetic poles moved from east to west. Contrary to this opinion, I hope to prove by calculation, that both magnetic points move round the poles of the earth, from west to east; the northern one quicker, and the southern slower than the earth; therefore, the apparent revolution of the northern magnetic point is from west to east, but the apparent revolution of the southern magnetic point is from east to west. However, it is universally



versally admitted, that Professor Euler extended his researches on this subject far beyond all his predecessors; but, as many of the principles were left unexplored by him, he could not apply them to the discovery of the longitude. No wonder, for his biographers lament that his Memoir on the Loadstone, that of the Propagation of Sound, the Laws of Cohesion, and those of Friction, although subjects of learned calculations, were supported, unfortunately, by hypothesis, rather than by experiment. In addition to what Professor Euler wrote on the subject, it seems absolutely necessary that all the following elements should be well understood:

1. THE nature of the curves formed by the magnetic meridians.
2. THE periods of revolution of the two magnetic points.
3. THE true courses which they run.
4. THEIR latitudes.
5. THEIR longitude from some meridian for the present time.
6. A SET of tables of their situation for any past or future period.
7. A SET of rules, for applying all those principles and materials to use.

WITHOUT an accurate knowledge of all these elements, Professor Euler could not be supposed to apply the magnet

to the discovery of the longitude; nevertheless, this great man seems to have had a distant prospect, that this would one day be the case; for the Princess of Anhalt-Deffau, having an uncommon taste for knowledge in natural philosophy, applied to Professor Euler, and received lessons from him, which were originally written in German, and afterwards published in French, at Berlin, in the year 1775, under the title of "*Lettres à une Princesse D'Allemagne, sur divers Sujets de Physique et de Philosophie.*" In these letters, he says indeed, it is not improbable that by these means we may in time, when the knowledge of them shall be more cultivated, be able to determine the longitude in a manner best applicable at sea: though as yet we have, says he, made but small advances towards it.

AFTER informing the Princess that the variation at Berlin, in the year 1761, was then  $15^{\circ}$  west, he says, it now appears as if it would decrease, until it comes to nothing again. This certainly disagrees with observation; for, in the report which the Commissioners made, by appointment of the Royal Prussian Academy, on my communications, I am informed by one of them, that the variation at Berlin, in the year 1791, instead of being less than  $15^{\circ}$  west, as Professor Euler supposed, it was actually  $17^{\circ} 32'$  west; and it will be found, that the variation will still be much greater westward than it is at present at Berlin, before it begins to decrease.

PROFESSOR EULER obligingly informs the Princess, his pupil, that an accurate knowledge of the present variation generally, whether east or west, would be a most valuable acquisition; but he seems to despair of this knowledge ever  
being



being obtained; and proceeds to remark, that our knowledge in this part of natural philosophy had not then arrived to any degree of perfection.

PROFESSOR EULER gives the Princess his opinion, that iron mines, within the bowels of the earth, cause this peculiar direction of the needle; but as it will appear, by calculation, that the revolutions of the two magnetic points are uniform, I cannot perceive the possibility of iron mines performing regular revolutions through sea and land, as they move round the poles of the earth.

To Professor Euler, in particular, I hold myself under many obligations. If he did not arrive at perfection in the doctrine of the magnet, he cast much light on the subject; indeed there is scarcely a single branch of mathematical science that has not been improved by his labours. No geometrician ever before embraced so many objects at the same time: none has perhaps ever equalled him in the number of his publications, or in the multitude and variety of his discoveries.

THE labours of Euler will appear more astonishing when it is considered, that, while he was enriching the Royal Academy of Berlin with a prodigious number of memoirs, on the deepest parts of mathematical science, which were generally presented in new points of view, interspersed with sublime truths, and sometimes with discoveries of great importance; he did not discontinue his philosophical contributions to the imperial Academy of Petersburg. There is scarce one of his pieces which does not contain some ingenious view, that may lead to the successful investigation of truths

truths yet unknown. The civil and literary history of all ages and all nations was familiar to him; and foreigners, who were acquainted with his works, were astonished to find in the conversation of a man, whose long life seemed solely occupied in mathematical and physical researches and discoveries, such an extensive acquaintance with other interesting branches of literature; his memoirs display the marvellous fecundity of his genius; he carried to new degrees of perfection the integral calculus, reduced analytical operations to a greater degree of simplicity, and was thus enabled to throw new light on all the parts of mathematical science: his Elements of Algebra, by their intrinsic merit, in point of perspicuity and method, have equally excited applause and astonishment.

It is well known that Professor Euler reduced Sir Isaac Newton's Theory of the Moon into elegant analytical expressions, of which Tobias Mayer availing himself, he was, by a very singular address of his own, enabled to bring out the greatest quantities of the equations, with ease and exactness; and thence to construct tables agreeing to the Moon's motion in every part of her orbit. The board of longitude having rewarded Euler and Mayer for their services, the tables were published in 1770 by Dr. Maskelyne, Astronomer Royal, who has the merit of first planning the Nautical Almanack.

EULER was personally known to most of the Princes in the northern parts of Europe, who shewed him marks of their esteem or rather veneration, which they could not well refuse to a man, who united the simplicity of virtue to a genius so vast and sublime; but he never could be prevailed upon



upon to receive any title offered to him, except that of Professor: to a man like him, the pleasure of study must be a reward much more agreeable than glory.

THE author of Professor Euler's *Eloge* says, that the whole of his labours consist of more than thirty different works, published separately; and nearly seven hundred memoirs, two hundred of which were deposited at the imperial Academy of Sciences at Petersburg, after his death, and intended to enrich their future collections.

If praise, as Plato says, is the sweetest kind of music, as Euler lived to a great age, he long enjoyed a concert of that kind. His death was considered as a public loss: the Academy of Petersburg appeared formally in mourning, and voted a marble bust to his memory, which was placed in the Hall at the expence of the Princess de Daschkaw, who fills his place, as president of the imperial Academy, to whom I hold myself under many obligations, for several valuable communications.

IN the year 1766 was published, at Worcester, "A brief Theory of the north magnetic Pole." The author, as he only attempted a theory of one magnetic pole, seems to fall far short of perfection; for if the needle was influenced only by a northern magnetic pole, the south end would have a direction to another point diametrically opposite: in that case the line of no variation would coincide with a meridian of the earth: but this would in no wise agree with observation, and would in every respect be subject to the same objections as Dr. Halley made against Bond's theory, in the begining of the present century; for, if this

theory had been a true one, under the same meridian the variation would be in all parts of it the same way; this is well known not to be the case. The elegant "Essay on Electricity," by George Adams, mathematical instrument maker to his Majesty, is well known, being published in the year 1787. At the latter end of this we are given to understand, that the "powers of genius, which have been hitherto employed in prosecuting this subject, have not been able to frame an hypothesis that will account, in an easy and satisfactory manner, for all the various properties of the magnet, or point out the links of the chain which connect it with the other phenomena of the universe."

It does not appear that Samuel Dunn ever favoured the world with a publication of the principles of his formerly supposed theory of the magnetic variation; his *New Atlas of the Mundane System, or of Geography and Cosmography, describing the Heavens and Earth, &c.* was published in 1788: in this splendid work he says, in page 16, "This variation of the compass is occasioned by the action of certain powers in the magnetic system, whose laws are not yet fully discovered; and therefore but few conclusions can be drawn concerning the doctrine of magnetic variations, and those must be deduced from observations and experiments."

In a dissertation on "the Elements of Navigation," published 1780, by John Robertson, late librarian to the Royal Society, we are informed, "the laws of the variation seem to have hitherto eluded all our researches."

In Gibson's Philosophy we are told what the variation was



## I N T R O D U C T I O N.

xxv

was at a certain place, when the work was published in 1785; but, says the author, "how long it will continue so, "time and observation must only determine."

*A Treatise on Magnetism, in Theory and Practice, with original Experiments, by Tiberius Cavallo, F. R. S.* is very well spoken of: it treats more on experimental magnetism than the magnetic variation, and contains many curious experiments well worthy of perusal. In page 112 the author remarks, that "no Theory yet offered has been sufficient to "foretel, with certainty, the variation of the needle for any "future period of time, or for any place distant from those "in which observations have been frequently made." In page 324, in speaking of the different hypotheses, he says, neither have their predictions answered, nor were any of them founded upon evident principles. In this celebrated work are inserted four cases, drawn up by Dr. Lorimer, whose extensive knowledge is well known; in the last case he represents it almost impossible to form a true theory, and says, "however, as this is a subject of vast importance to mankind, principally for the improvement of navigation, I am "far from meaning to discourage its being properly examined; but only think it necessary to put all the apparent "difficulties before the eye of the resolute adventurer in "this field of intricate and difficult investigation."

NOTWITHSTANDING Nicholson's Philosophy teaches us that the effects of magnetism are observed with surprise and admiration, while the most cautious confess that the cause is entirely unknown, the same author in Vol. II. page 329, says, he knows from experience, that the magnetic variation may be easily observed, in moderate weather, to the

E

certainty

certainty of a less error than ten minutes: if so, there will be but little difficulty in finding the longitude by the magnetic variation. The variation of the Compass is certainly of that great concern in Navigation, that the want of a true theory has heretofore done little less than rendered useless one of the most noble inventions mankind ever attained to. This is a sentiment that has often been expressed by different writers.

THE fifth volume "*Histoire Naturelle des Minéraux*" of Comte de Buffon, was published at Paris in 1788: This work contains a multitude of magnetic observations made by many circumnavigators; but the author says, it does not seem probable that we should, by any former observations, however numerous and repeated, be enabled to fix on any precise system for the progressive and retrograde motion of the needle; nevertheless, when the principles are properly understood, their simplicity will appear evident by the following calculations and demonstrations, founded on actual observations.

THE Hydrographer to the Duke of Clarence, in page 165 of his book, entitled, "The Practical Navigator and "Seaman's New Daily Assistant," published 1791, in treating of the Variation of the Compass, says, "the true "cause and theory of which has not yet been discovered." An idea of the value of this work may be formed by its extensive circulation.

SEVERAL of the Encyclopædists, in their late splendid editions say, "whether the magnetic poles move altogether with one motion, or with several, whether equal-  
" ly



“ly or unequally, whether circular or libratory; if circular, about what centre; if libratory, after what manner, is unknown.”

AFTER having seen the preceding difficulties painted in such high colours, it may appear bold in me to pursue this subject; yet the encouragement I have received has led me on step by step, and I hold myself particularly indebted for the magnetical observations published in the Voyages of Captain Cook. The learned Dr. Andrew Kippis, in his account of the life of that renowned navigator, writes as if he had a clear prospect of the advantages that would arise from his observations, “in determining the cause and nature of the polarity of the needle.”

THE “Meteorological Observations and Essays, by John Dalton, Professor of Mathematics and Natural Philosophy, at the new College of Manchester,” makes mention of the relation between the Aurora borealis (northern lights) and what he calls the earth’s magnetism.

THE advertisements, concerning this work, just before it made its appearance in 1793, announced his discovery of this relation to be original, the author not knowing that any other writer had published the most distant intimation thereof; but, before his book was printed, Professor Dalton acknowledges, with candour, that he had seen a paper, by an anonymous author, printed in a periodical publication for May 1792, entitled, “*Mathematical, Geometrical, and Philosophical Delights* ;” in which the said anonymous author mentions something to the same purpose.

I MUST here beg leave to refer the reader to my own three letters describing fully this relation. They were addressed to Count de Cassini, director of the royal observatory at Paris, and published in the city of Philadelphia, in October 1788, in a periodical publication, entitled, the "American Museum" this was several years prior to the paper of the said anonymous author. In the first of these letters, the rays of the northern lights are clearly described to agree with the magnetic meridian; for when the northern magnetic point was last on the same side of the earth as England, the northern lights were very frequent in that kingdom for many years, until they gradually disappeared; since when, and while the northern magnetic point was in the opposite side of the Earth from England, they were invisible in England for a considerable time. Some of the last that are upon record, as having appeared there before those of the present century, are those of January 30th 1560, October 7th 1564, and November 14th and 15th 1574. According to Rowning's Philosophy, vol. I. page 243; after a long absence, a small one appeared in Ireland, November 16th 1707; another appeared in England, August 9th 1708; a remarkable one appeared there also March 16th 1715-16; they have been, and still continue to be, very common in Great Britain ever since; and the nigher the magnetic point comes to the meridian of any place, the more frequent these appearances are.

Dr. John Reinold Foster, F. R. S. in an account of his voyage round the world, remarks that, although he and others, in company with Captain Cook, had spent several different seasons near the Antarctic Circle, yet they never saw the southern lights (*Aurora Australis*;) but in the year



1773, being then between the latitude of  $58^{\circ}$  and  $60^{\circ}$  south, their appearance, on seven different nights, was much the same as those of the northern lights.

THEY saw the Southern lights on February 18th, 19th, 20th, 21st, and 26th; also on March 15th and 16th.

IT is remarkable, although Dr. Foster did not mention it, that the observers of those southern lights were not more than about 13 degrees of a great circle from the place of the southern magnetic point.

BECAUSE Dr. Foster observed these southern lights at the aforesaid places, several writers have concluded that they were visible in every part of the southern hemisphere. I consider that conclusion to be contrary to observation; as the southern lights are not mentioned by Dr. Foster to be visible, except on the same side of the earth which the southern magnetic point is now found to occupy.

1772, being then between the latitude of 28° and 30° south, their appearance was very different from that of the same place of the northern hemisphere. They saw the Southern Lights on February 18th, 1772, and on March 1st and 2nd. It is remarkable, although the Foster did not observe it, that the characters of these Southern Lights were not much different from those of a certain kind of aurora borealis, which the Foster again observed on March 1st and 2nd. The Foster observed these Southern Lights at the same place, several winters have concluded that they are similar to every part of the Northern Hemisphere, I cannot then conclude to be identical with the Northern Lights, as the Southern Lights are not mentioned by the Foster to be visible except on the East side of the earth, which the Southern Hemisphere is not found to be so. The Foster observed these Southern Lights at the same place, several winters have concluded that they are similar to every part of the Northern Hemisphere, I cannot then conclude to be identical with the Northern Lights, as the Southern Lights are not mentioned by the Foster to be visible except on the East side of the earth, which the Southern Hemisphere is not found to be so.



THE  
**MAGNETIC ATLAS, &c.**

**C H A P. I.**

**DEFINITIONS AND COROLLARIES.**

**DEFINITION I.**

**T**HE two points D and E, which give an universal direction to the magnetic needle, and represented in the sphere drawn round the centre C, fig. 1. may be termed magnetic points.

**DEF. II.** That magnetic point D, which is situate in the northern hemisphere, at a certain distance from the north pole of the earth, may be called the northern magnetic point.

**DEF. III.** That magnetic point E, which is situate in the southern hemisphere, at a certain distance from the south pole of the earth, may be called the southern magnetic point.

**DEF. IV.** The half of a great circle, drawn from one pole of the earth to the other, through any given place, is the terrestrial meridian of that place.

**DEF. V.** All the curves which meet in the magnetic point, on either of the charts, are the magnetic meridians.

**DEF. VI.** The angle contained between the magnetic meridian, and the meridian of the earth, in any place, is the variation of the compass for that place.

**DEF. VII.**

DEF. VII. The time in which either magnetic point revolves round the pole of the earth, from a conjunction with any fixed star, until its return to the same again, may be termed its sidereal, or real, revolution.

DEF. VIII. The time which either magnetic point requires, from its leaving any one meridian of the earth, until its return to the same again, may be termed its periodical, or apparent, revolution.

DEF. IX. A line drawn through the different parts of the globe, where the magnetic needle points due north, is the line of no variation.

COROLLARY. I. The line of no variation changes its place as the two magnetic points change their places.

COR. II. The line of no variation alters its curvature in proportion to the different positions of the two magnetic points.

COR. III. Whenever the two magnetic points are neither on the same, nor on opposite, meridians of the earth, then those parts, where a meridian of the earth makes a tangent to a magnetic meridian, there the line of no variation passes.

DEF. X. A point G, diametrically opposite to the southern magnetic point E, may be termed the northern magnetic nadir.

DEF. XI. A point H, diametrically opposite the northern magnetic point D, may be termed the southern magnetic nadir.

COR. I. If the two magnetic points were at equal distances from the two poles of the earth, and on opposite meridians, they would be diametrically opposite to each other.

COR. II. If the two magnetic points were diametrically opposite to each other, the magnetic meridians would all be arches of great circles.

COR. III. As the two magnetic points are neither at equal distances from the two poles of the earth, nor at present on opposite meridians, they are not diametrically opposite to each other. Hence none of the magnetic meridians, except the first and the last, are arches of great circles.

COR. IV. The distance between the magnetic points and the magnetic equator is different on different sides of the globe.

DEF. XII.



DEF. XII. A great circle ICK, drawn every way equally distant from and between the two magnetic points and the two magnetic nadirs, will be the magnetic equator.

DEF. XIII. Those two opposite points LM, situate ninety degrees from the magnetic equator ICK, are the poles of the magnetic equator.

COR. I. The magnetic equator, as well as the first and last magnetic meridian, continually changes its place.

COR. II. The magnetic equator divides the globe into two equal parts.

COR. III. Every circle, dividing the globe into two equal parts, is a great circle.

COR. IV. Every great circle has two poles.

COR. V. The two poles of every great circle are diametrically opposite to each other.

COR. VI. Hence the two magnetic poles, being distinct from the two magnetic points which influence the direction of the needle, are nothing more than the poles of the magnetic equator.

DEF. XIV. A right line DNE, drawn from one magnetic point to the other, may be called the magnetic pointer axis.

DEF. XV. A right line LCM, drawn from one magnetic pole to the other, may be termed the magnetic polar axis.

DEF. XVI. A right line GOH, drawn from one magnetic nadir to the other, may be called the magnetic nadir axis.

COR. I. The magnetic polar axis, and no other, passes through the centre C of the earth.

COR. II. The magnetic polar axis is equally distant from and between the magnetic pointer axis and magnetic nadir axis, all of which are parallel to each other; but,

COR. III. As the two magnetic points are not diametrically opposite to each other, the distance between the magnetic points and the magnetic equator is different on different sides of the globe.

COR. IV. As the two magnetic points move with unequal velocities, the distance between the magnetic pole and the magnetic point undergoes a continual alteration.

F

DEF. XVII.

DEF. XVII. As the magnetic equator divides the globe into two equal parts, for distinction, one half may be called the northern, and the other the southern magnetic hemisphere.

COR. I. In each magnetic hemisphere the magnetic pole is, at any given time, equally distant from the magnetic point and the magnetic nadir.

DEF. XVIII. A magnetic needle, suspended on a pin passing through its centre in a horizontal direction, is a dipping needle.

COR. I. Magnetic powers of equal force having equal influence at equal distance; as the magnetic equator is equally distant from each magnetic point, if the dipping needle stood horizontal on the magnetic equator, this would prove the influence of each magnetic point to be equal.

COR. II. If the influence of each magnetic point were equal, the magnetic meridians would all be circular curves.

COR. III. If the magnetic meridians were all circular curves, they might be considered as arches of regular polygons of an infinite number of sides, and the horizontal needle would always represent one of these sides.

COR. IV. Although none of the magnetic meridians, except the first and last, are circular curves, the horizontal needle makes always a tangent to the magnetic meridian.

COR. V. In the northern magnetic hemisphere the dipping needle gives north dip, and southern south dip, proportionally to the distance from the place where it stands horizontal.

DEF. XIX. The distance between the northern magnetic point and the north pole of the earth, may be called the north polar distance.

DEF. XX. The distance between the southern magnetic point and the south pole of the earth may be called the southern polar distance.

DEF. XXI. An arch of a great circle DKE, passing from one magnetic point to the other, through each magnetic nadir, and from which all the other magnetic meridians are numbered, may be called the first magnetic meridian.

DEF. XXII.



DEF. XXII. The opposite arch, DIE, of the same great circle,  $180^\circ$  from the first, may be called the last magnetic meridian.

DEF. XXIII. Lines drawn through those parts of the earth, where the magnetic variation is equal, after the manner of Dr. Halley, are called Halleyan lines.

DEF. XXIV. The mean time taken by the sun, from its leaving one meridian of the earth, until its return to the same again, being 24 hours, as the mean time of the rotation of the earth on its axis from west to east is determined and known to be 23h. 56' 4", this last mentioned time is called a sidereal day.

## CHAPTER II.

### SOLUTION OF PROBLEMS.

#### PROBLEM I.

HAVING the latitude of the place of observation, the variation of the compass, and the longitude of the northern magnetic point given, to determine the north polar distance.

*Example.* IN the beginning of the year 1794, the first magnetic meridian passing near the Royal Observatory at Greenwich, which is in latitude  $51^\circ 28' 40''$  north, the variation of the compass was there  $23^\circ 56'$  west, the longitude of the northern magnetic point being  $135^\circ$  west.

As radius $90^\circ$	-	-	-	10.0000000
Is to sine of the latitude $51^\circ 28' 40''$	-	-	-	9.8934120
So is tangent of variation $23^\circ 56'$	-	-	-	9.6472217
				<hr/>
				19.5406337
To co-tangent of a 4th number $70^\circ 51' 3''$	-	-	-	9.5406337

F 2

As

As co-sine $135^\circ - 70^\circ 51' 3'' = 64^\circ 8' 57''$	-	9.6395161
Is to co-sine $70^\circ 51' 3''$	-	9.5159118
So is co-tangent latitude $51^\circ 28' 40''$	-	9.9009509
		<hr/>
		19.4168627
To tangent north polar distance $30^\circ 55'$	-	9.7773466

## PROBLEM II.

HAVING the latitude of the place of observation, the north polar distance, and the longitude of the northern magnetic point given, to determine, by calculation, the variation of the compass.

*Example.* THE Royal Observatory, at Greenwich, being in latitude  $51^\circ 28' 40''$ , in the spherical triangle, ACD, plate I. the north polar distance, AC, by proposition the 1st, being  $30^\circ 55'$ , the complement of the latitude, AD, being  $38^\circ 31' 20''$ , and the longitude of the northern magnetic point being  $135^\circ$  west.

North polar distance $30^\circ 55'$	$= 30^\circ 55'$
Complement latitude $38^\circ 31' 20''$	$= 38^\circ 31' 20''$

Sum  $69^\circ 26' 20''$  dif.  $7^\circ 36' 20''$  angle CAD  $135^\circ$

$\frac{1}{2}$  Sum  $34^\circ 43' 10''$   $\frac{1}{2}$  dif.  $3^\circ 48' 10''$   $\frac{1}{2}$  angle CAD  $67^\circ 30'$

As sine $\frac{1}{2}$ sum of the two sides $34^\circ 43' 10''$	-	9.75551
Is to sine $\frac{1}{2}$ their difference $3^\circ 48' 10''$	-	8.82134
So is co-tangent $\frac{1}{2}$ angle CAD $67^\circ 30'$	-	9.61722
		<hr/>
		18.43856
To tangent $\frac{1}{2}$ fine other two angles $2^\circ 46'$	-	8.68305

As



As co-sine $\frac{1}{2}$ sum of 2 sides $34^{\circ} 43' 10''$	-	-	9.91486
Is to co-sine $\frac{1}{2}$ difference $3^{\circ} 48' 10''$	-	-	9.99904
So is co-tangent $\frac{1}{2}$ angle CAD $67^{\circ} 30''$	-	-	9.51722

---

19.61626

To tangent $\frac{1}{2}$ sum other 2 angles $26^{\circ} 42'$	-	-	9.70140
$2^{\circ} 46'$			

---

23° 56' variation.

## PROBLEM III.

HAVING the latitude of the place, the longitude of the northern magnetic point, and the variation of the compass given, to determine the distance to the northern magnetic point from the place of observation.

*Rule 1st.* ADD the north polar distance, the compliment of the sine of half the sum of the angles given, the sine of half their difference, and the tangent of half the given side together, the sum, abating radius, is the tangent of half the difference of the sides required.

2d. ADD the compliment of the co-sine of half the sum of the given angles, the co-sine of half their difference, and the tangent of half the given side together; the sum, abating radius, is the tangent of half the sum of the sides required.

3d. ADD the half difference of the side required to their half sum, this will give the greatest side, and subtract the half difference from the half sum, this will give the lesser side required.

*Example.* THE Royal Observatory at Greenwich being in latitude  $51^{\circ} 28' 40''$ , the longitude of the northern magnetic point being about  $135^{\circ}$  west, in the beginning of the year 1794, and the variation of the compass being  $23^{\circ} 56'$  west.

Angle

Angle CAD	135° 0' =	135° 0'
Magnetic variation	23° 56' =	23° 56'
Sum	158° 56'	diff. 111° 4' comp. lat. 38° 31' 20''
$\frac{1}{2}$ Sum	79° 28' $\frac{1}{2}$	diff. 55° 32' $\frac{1}{2}$ co. lat. 19° 15' 40''
Com. of S. $\frac{1}{2}$ sum 79° 28'	0.00738	Com. of co-S. $\frac{1}{2}$ sum 0.73801
Sine $\frac{1}{2}$ difference 55° 32'	9.91617	Co-sine $\frac{1}{2}$ diff. 9.75276
Tan. $\frac{1}{2}$ com. lat. 19° 15' 40''	9.54309	Tang. $\frac{1}{2}$ com. lat. 9.54309
Tangent 16° 19'	9.46664	Tangent 47° 14' 10.03386

47° 14' + 16° 19' = 63° 33' the distance to northern magnetic point.

47° 14' - 16° 19' = 30° 55' the north polar distance as before.

#### PROBLEM IV.

HAVING the latitude of the place of observation, the north polar distance, and the distance to the northern magnetic point given, to determine the longitude of the northern magnetic point, in the beginning of the year 1794.

##### Example.

North polar distance	80° 55' 0'	Sine	9.71079
Compliment of latitude Greenwich	38° 31' 20''	Sine	9.79431
Distance to northern mag. point	63° 33' 0'	Rectangle	19.50510
Sum	132° 59' 20''		
$\frac{1}{2}$ Sum	66° 29' 40''	Sine	9.96240
Distance to northern mag. point	63° 33' 0'		
Difference	2° 56' 40''	Sine	8.70905
		Rectangle	18.67145
		As	



# THE MAGNETIC ATLAS.

39

As rectangle sine, CA+AD, plate I.	- - -	19.50510
Is to square of radius	- - -	20.00000
So is rectangle sine $\frac{1}{2}$ sum 3 sides and difference side CD		18.67145

---

38.67145

19.16635

---

To square of co-sine $\frac{1}{2}$ contained angle $67^{\circ} 30'$		9.58317
---	--	---------

2

---

Longitude of northern magnetic point  $135^{\circ} 00'$

## PROBLEM V.

HAVING the situation of the place of observation, the longitude of the southern magnetic point, and the variation of the compass for a certain time given, to determine the south polar distance, and also the distance to the southern magnetic point from the place of observation.

*Example.* The first magnetic meridian passing near to  $40^{\circ}$  south latitude, and  $30^{\circ}$  east longitude from Greenwich, the southern magnetic point being  $128^{\circ} 50'$  east from the place of observation in the latter end of the year 1793, and the variation of the compass being  $21^{\circ}$  west.

Longitude of southern magnetic point  $128^{\circ} 50' = 128^{\circ} 50'$

Magnetic variation  $21^{\circ} 0' = 21^{\circ} 0'$

---

Sum	$149^{\circ} 50'$ dif. $107^{\circ} 50'$
-----	--

---

$\frac{1}{2}$ Sum	$74^{\circ} 55'$ $\frac{1}{2}$ dif. $53^{\circ} 55'$
-------------------	--

Compliment of latitude  $50^{\circ}$

$\frac{1}{2}$  Compliment of latitude  $25^{\circ}$

Comp.

## THE MAGNETIC ATLAS.

Com. of S. of $\frac{1}{2}$ sum $74^{\circ} 55'$	0.01523	Comp. of co-S. $74^{\circ} 55'$	0.58465
Sine of $\frac{1}{2}$ diff. $53^{\circ} 55'$	9.90750	Co-sine $53^{\circ} 55'$	9.77009
Tang. $\frac{1}{2}$ comp. lat. $25^{\circ}$	9.66867	Tangent $25^{\circ}$	9.66867

Tangent $21^{\circ} 19'$	9.59140	Tangent $46^{\circ} 33'$	10.02341
--------------------------	---------	--------------------------	----------

$46^{\circ} 33' - 21^{\circ} 19' = 25^{\circ} 14'$  fouth polar distance

$46^{\circ} 33' + 21^{\circ} 19' = 67^{\circ} 52'$  distance to southern magnetic point

## PROBLEM VI.

HAVING the latitude of the place, the fouth polar distance, and the distance to the southern magnetic point given, to find the longitude of the southern magnetic point.

*Example.*

Complement of the latitude	$50^{\circ}$	Sine	9.88425
South polar distance	$25^{\circ} 14'$	Sine	9.62972
		Sum	19.51397
Distance to fouth mag. point	$67^{\circ} 52'$		
Sum	$143^{\circ} 6'$		
$\frac{1}{2}$ Sum	$71^{\circ} 33'$	Sine	9.97708
Distance to fouth. mag. point	$67^{\circ} 52'$		
Difference	$3^{\circ} 41'$	Sine	8.80782
		Sum	18.78490



# THE MAGNETIC ATLAS.

41

As rectangle fine $50^{\circ} + 25^{\circ} 14'$	-	-	-	19.51397
Is to square of radius	-	-	-	20.00000
So is rectangle fine of $\frac{1}{2}$ sum of 3 sides and dif. side CD				18.78490

---

38.78490

To square of co-fine of $\frac{1}{2}$ contained angle $64^{\circ} 25'$				19.27093
--	--	--	--	----------

2

---

E. longitude of southern magnetic point  $128^{\circ} 50'$  from place observation.

Place observation E. Greenwich	$30^{\circ} 0'$
--------------------------------	-----------------

---

Southern mag. point E. Greenwich  $158^{\circ} 50'$

## PROBLEM VII.

HAVING the latitude of the place of observation, the south polar distance, and the longitude of the southern magnetic point given, to determine by calculation the variation of the compass in the southern hemisphere for the present time.

*Example.* THE first magnetic meridian passing near  $40^{\circ}$  south latitude, and  $30^{\circ}$  east longitude from Greenwich, the south polar distance being  $25^{\circ} 14'$ , and the longitude of the southern magnetic point being  $128^{\circ} 50'$  east from the place of observation, in the latter end of the year 1793.

South Polar distance  $25^{\circ} 14' = 25^{\circ} 14'$

Compliment of latitude  $50^{\circ} 0' = 50^{\circ} 0'$

---

Sum	$75^{\circ} 14'$ dif. $24^{\circ} 46'$ lon. mag. point $128^{\circ} 50'$
-----	--

---

$\frac{1}{2}$ Sum	$37^{\circ} 37' \frac{1}{2}$ dif. $12^{\circ} 23'$ $\frac{1}{2}$ lon. mag. point $64^{\circ} 25'$
-------------------	---

G

As

## THE MAGNETIC ATLAS.

As sine of $\frac{1}{2}$ Sum of the 2 sides	$37^{\circ} 37'$	-	-	9.78560
Is to sine of $\frac{1}{2}$ difference	$12^{\circ} 23'$	-	-	9.33133
So is co-tangent of $\frac{1}{2}$ angle	$64^{\circ} 25'$	-	-	9.68012
				<hr/>
				19.01145
				<hr/>
To tangent	$9^{\circ} 33'$	-	-	9.22585
As co-sine $\frac{1}{2}$ sum of the 2 sides	$37^{\circ} 37'$	-	-	9.89879
Is to co-sine of $\frac{1}{2}$ their diff.	$12^{\circ} 23'$	-	-	9.98978
So is co-tangent $\frac{1}{2}$ angle	$64^{\circ} 25'$	-	-	9.68012
				<hr/>
				19.65990
To tangent	$30^{\circ} 33'$	-	-	9.77111
	$9^{\circ} 33'$			
	<hr/>			
Variation	$21^{\circ} 0'$	-		

## PROBLEM VIII.

HAVING the situation of the place of observation, the variation of the compass, and the south polar distance given, to determine the longitude of the southern magnetic point for a time that is past.

*Example.* In latitude  $30^{\circ}$  south, longitude  $3^{\circ}$  east, the variation of the compass in the year 1700, according to Dr. Halley's Chart, was  $4^{\circ}$  west, the south polar distance, by Problem V. being  $25^{\circ} 14'$ . In the same year the first magnetic meridian extended near to that place.

Sine of latitude $30^{\circ}$	-	-	-	9.69897
Tangent of variation $4^{\circ}$	-	-	-	8.84464
				<hr/>
Co-tangent sum (abating radius) $88^{\circ}$	-	-	-	8.54361
				<hr/>
				Co-sine



# THE MAGNETIC ATLAS.

43

Co-sine $88^{\circ}$	-	-	-	-	-	8.54282
Co-tangent latitude $30^{\circ}$	-	-	-	-	-	10.23856
						<hr/>
				Sum		18.78138
Tangent south polar distance $25^{\circ} 14'$				-	-	9.67327
						<hr/>
Co-sine $82^{\circ} 37'$	-	-	-	-	-	9.10811

$88^{\circ} + 82^{\circ} 37' + 3^{\circ} = 173^{\circ} 37'$  the longitude of southern magnetic point.

## PROBLEM IX.

HAVING the longitude of the northern magnetic point given for two different periods of time, to determine the apparent or periodical revolution of the northern magnetic point round the north pole of the earth.

*Example.* THE northern magnetic point being  $180^{\circ}$  west, in the year 1657, and by Problem IV.  $135^{\circ}$  west in the beginning of the year 1794;  $1794 - 1657 = 137$  years, and  $180^{\circ} - 135^{\circ} = 45^{\circ}$ . As  $45^{\circ}$  is to 137 years, so is  $360^{\circ}$  to 1096 years, the periodical revolution required.

## PROBLEM X.

HAVING the longitude of the southern magnetic point given for two different times, to determine its periodical revolution.

*Example.* THE southern magnetic point, by Problem VIII. being  $173^{\circ} 37'$  east, in the year 1700; and by Problem VI.  $158^{\circ} 50'$  east in the beginning of the year 1794; we have  $1794 - 1700 = 94$  years, and  $173^{\circ} 37' - 158^{\circ} 50' = 14^{\circ} 47'$ . As  $14^{\circ} 47'$  is to 94 years, so is  $360^{\circ}$  to 2289 $\frac{1}{17}$  years, the periodical revolution required.

## PROBLEM XI.

HAVING the periodical revolution of the southern magnetic point given to determine its sidereal revolution.

*Example.* THE periodical revolution of the southern magnetic point, omitting the fraction, being 2289 years; say, as 2289 years is to  $360^\circ$ , so is 1 day to  $1'' 33'''$ . Again, seeing  $15^\circ$  longitude is equal to 60 minutes of time; as  $15^\circ$  is to 60', so is  $1'' 33'''$  to  $6'''$  of time. The length of a sidereal day being 23h 56' 4". If the southern magnetic point moved faster than the earth, this time should be subtracted from the sidereal day; but, as it moves slower, it is added thus,  $23h 56' 4'' + 6''' = 23h 56' 4'' 6'''$ , the sidereal revolution of the southern magnetic point.

## PROBLEM XII.

HAVING the periodical revolution of the northern magnetic point given, to determine its sidereal revolution.

*Example.* THE periodical revolution of the northern magnetic point being 1096 years; as 1096 years is to  $360^\circ$ , so is 1 day to  $3'' 14'''$ ; then, to reduce  $3'' 14'''$  into time, as  $15^\circ$  is to 60', so is  $3'' 14'''$  to  $12'''$  of time; now, as the northern magnetic point moves faster than the earth,  $23h 56' 4'' - 12''' = 23h 56' 3'' 48'''$  for the sidereal revolution required.

## PROBLEM XIII.

HAVING the periodical revolution of the magnetic points given, to determine their annual rate of revolution.

*Example I.* THE periodical revolution of the northern magnetic point being 1096 years; as 1096 years is to  $360^\circ$ , so is 1 year to  $19' 42'' 29'''$ , the annual rate of the northern magnetic point.

*Example*



*Example II.* THE periodical revolution of the southern magnetic point being 2289 years; as 2289 years is to  $360^{\circ}$ , so is 1 day to  $9' 26''$ , the annual rate of the southern magnetic point.

---

## PROBLEM XIV.

To find the situation of the first and last magnetic meridian for any given time.

*Rule.* First find the place of the two magnetic points, by their rate of revolution, for the time required. Secondly, find either of the two magnetic nadirs, which are opposite to the two magnetic points. Thirdly, draw a circle through these three points, this will always be a great circle, and it will naturally be divided into two arches by the magnetic pointer axis, which is a right line passing from one magnetic point to the other. The greatest arch will always be the first magnetic meridian from which all the others are numbered; the least arch will be the last magnetic meridian.

*Example.* LET DE, fig. 1. represent the two magnetic points, then a point G being found on the surface of a globe diametrically opposite to E, this will be the northern magnetic nadir. A circle being drawn through these three points, as its plane, will pass through the centre of the earth C, it will be a great circle. If the magnetic pointer axis DNE is drawn, DKE will represent the first magnetic meridian, from which all the others are numbered, and DIE will represent the last magnetic meridian.

---

## PROBLEM XV.

HAVING the situation of one magnetic point, and one magnetic nadir given, to determine the situation of the magnetic equator for any given time.

*Example.*

*Example.* If we find a situation on the Chart in the northern hemisphere, equally distant from the magnetic pole and magnetic nadir, a great circle being drawn every way ninety degrees from the magnetic pole, will be the magnetic equator, on which the magnetic meridians are all numbered.

#### PROBLEM XVI.

HAVING the latitude and longitude of a place given, to determine by the chart the variation of the compass.

*Example.* Let it be required to know the variation of the compass in the latitude of 40 degrees north, and longitude 170 east from Greenwich, after finding where this meridian and parallel meet on the Chart of the northern hemisphere, the angle between the magnetic meridian and the earth's meridian being measured at this place, this angle is equal to the variation of the compass.

#### PROBLEM XVII.

HAVING the variation of the compass, and latitude of the place given, by the chart to determine the longitude.

*Example.* A SHIP in the Atlantic Ocean, sailing in the latitude of 50° north on a voyage from Philadelphia to London, it is required to know when she is within twenty degrees of the meridian of Greenwich. The angle is measured on the chart between the twentieth meridian from Greenwich and the magnetic meridian in the latitude of 50° north, and when the accurate observer in the same latitude finds the variation, by observation, equal to the angle measured on the chart, he knows himself to be 20° from the meridian of Greenwich.

#### PROBLEM



## PROBLEM XVIII.

HAVING the latitude of the place, the north polar distance, and the longitude of the northern magnetic point given, from the following table, to determine the variation by calculation for the year 1622.

*Example.*

Co. lat. Greenwich  $38^{\circ} 31' 20'' = 38^{\circ} 31' 20''$

North polar dist.  $30^{\circ} 55' 0'' = 30^{\circ} 55' 0''$

---

Sum  $69^{\circ} 26' 20''$  dif.  $7^{\circ} 36' 20''$  E. lon. n. mag. p.  $168^{\circ} 30'$

---

$\frac{1}{2}$  Sum  $34^{\circ} 43' 10'' \frac{1}{2}$  dif.  $3^{\circ} 48' 10'' \frac{1}{2}$  lon. mag. point  $84^{\circ} 15'$

---

As fine	-	$34^{\circ} 43' 10'$	-	9.75551
Is to fine	-	$3^{\circ} 48' 10'$	-	8.82134
So is co-tangent	-	$84^{\circ} 15' 0'$	-	9.00301

---

17.82435

---

To tangent  $0^{\circ} 46' 0''$  8.06884

---

As co-fine -  $34^{\circ} 43' 10''$  - 9.91486

Is to co-fine -  $3^{\circ} 48' 10''$  - 9.99904

So is co-tangent -  $84^{\circ} 15' 0''$  - 9.00301

---

19.00205

To tangent  $6^{\circ} 58' 0''$  9.08719

$6^{\circ} 58' - 46' = 6^{\circ} 12'$  east variation

REMARK.

## REMARK.

As the foregoing is the method by which all the subsequent calculations are made, one example will be sufficient: the reader will find in the following table the variations, both by calculation and observation, which differ but a few minutes from each other. As the calculations are made for Greenwich, and the observations generally made in London, they could not be expected to agree much nearer, seeing the first magnetic meridian did not always pass the same distance from that Royal Observatory.

A TABLE



A TABLE of the Place of the northern magnetic Point, as it is found to perform a Revolution round the north Pole of the Earth, at the rate of  $19^{\circ} 42' 29''$  of Longitude each year, exhibiting the Variation by Calculation and Observation.

ANNO. DOM.	Longitude of Magnetic Point.	Variation by Calculation.	Variation by Observation.	Difference.
1622	168° 30'	6° 12'	6° 0' 0" E	0° 6' 0"
1630	171 7	E 4 20	4 5 0	0 15 0
1633	172 7			
1640	174 24			
1650	177 42			
1657	180 0	0 0	0 0 0	0 0 0
1660	179 0	1 27	1 22 30 W	0 4 30
1665	177 21			
1670	175 43			
1672	175 4			
1680	172 26	2 42	2 30 0	0 12 0
1683	171 27	4 41	4 30 0	0 11 0
1690	169 9	6 18	6 0 0	0 18 0
1692	168 30			
1700	165 52			
1710	162 35			
1717	160 17	10 45	10 42 0	0 3 0
1720	159 18	12 0	11 45 0	0 15 0
1724	157 59			
1725	157 39			
1730	156 1			
1735	154 22	13 55	14 16 0	0 21 0
1740	152 44	14 34	15 40 0	1 6 0
1745	151 5	15 39	16 53 0	1 14 0
1750	149 27	16 32	17 22 0	0 50 0
1760	146 10	18 15	19 12 0	0 57 0
1765	144 31	19 6	20 0 0	0 54 0
1770	142 52	19 57	20 35 0	0 0 0
1780	139 35	23 56	23 56 0	0 0 0
1790	136 18			
1794	135 0			
1795	134 40			
1796	134 20	23 56	23 56 0	0 0 0
1797	134 0			
1798	133 41			
1799	133 21			
1800	133 1			

## C H A P. III.

## THE OBJECTION OF FALSE VARIATION REMOVED.

**S**EVERAL objections have been stated against making accurate observations of the magnetic variation at sea.

*Objection 1st.* THE same compass has been said to give a different variation, from no other cause than putting the ship's head a contrary way.

*Answer.* THIS might readily happen, if there was more iron near the compass on one side of the ship than on the other; the following remedy is proposed for this difficulty. Let there be fixed a true meridian on shore, but near the ship, out of the reach of the attraction of iron; here let the variation be taken on this meridian; then, before she sails, let the variation be taken on board the ship, with her head turned, if occasion should require, on every point of the compass; by noting the difference between the true variation on the true meridian, and the false variation on board, a table of difference may be constructed, which may shew the allowance necessary to be made for false variation throughout any voyage, while the iron remains in the same situation. Or, if the azimuth compass is firmly fixed to a three-legged staff, about five feet above the deck, it will then be nearly out of the reach and influence of the iron.

*Objection 2d.* THE same compass removed a few miles, but at a different time of the day, has been said to give variations differing from one another.

*Answer.* As it is impossible to move, either on the same meridian or parallel of latitude, without having a different variation, it is not strange if there should be a sensible difference in a few miles: besides, if the observations are made at different times of the day, the small diurnal variation, which seems reducible to certain fixed laws, will require to be allowed for.

*Objection 3d.* THE same compass, on the same day, and in the hands of the same observer, has been said to give variations differing from one another,



another, on board the same ship, when under sail, and when at anchor in a roadstead.

*Answer.* A SHIP being under way must certainly change her situation; if the variation was not different in different places, it would be hard to know the situation of the place by the variation; therefore, one answer may apply to both the second and third objections.

*Objection 4th.* COMPASSES made by the same artist, at the same time and place, but on board different ships, have been said to differ in the variation.

*Answer.* THIS might arise from a greater quantity of iron in one ship than another, placed in such a situation as to give a false variation to the needle.

*Objection 5th.* THE same compass on board the same ship, and within a few miles of the same situation, but at different times of being in such situation, is said to have given different variations.

*Answer.* THE two magnetic points being known to perform revolutions, the variation must of consequence continually alter more or less in every part of this globe; therefore the different variation may readily be accounted for, as well from the difference of time as the different situations of places.

*Objection 6th.* DIFFERENT compasses, at the same time, on board the same ship, and in every respect under the same circumstances, are said to have given variations differing from one another.

*Answer.* DIFFERENT compasses, if true, are found to agree with one another on shore. I knew an instrument-maker in particular, who had a meridian on shore, and made many circumferencers. He made a rule never to turn one out of his hands, till he proved it by his meridian. By this method all his instruments would agree one with another.

CAPTAIN Cook, when he observed the transit of Venus at the Island of King George III. or Otaheite, although he found in some instances, that different instruments gave different variations, yet in the account of his voyage he writes, "the same needle agrees with itself in several trials one after another." This seems to prove what dependance may be placed upon a true needle. The cause of different in-

struments disagreeing must then be occasioned by a fault in the workmanship.

HITHERTO it has generally been thought useless to try to obtain the variation with a great degree of accuracy, merely for the purpose of steering the course of a ship; but in order to make the variation scheme useful in finding the situation of a ship at sea, it will be necessary, in order to counteract the motion of the waves, to make a number of observations with great care, and take a mean for the true variation. In this respect a little practice will point out the path towards perfection.

It is well known that on land there is no difficulty in determining the longitude by Jupiter's satellites, if the true situation of any coast, and the situation of the two magnetic points are known, the true variation may be found by calculation; so that if bodies of iron ore, upon the sea-coast, should even influence the needle, the difference between the variation, by calculation and observation, will consequently be the allowance for false variation. By this method the variation may be corrected with a little care.

It is probable the magnetic observations, in Captain Cook's last voyage, are still as accurate and extensive as any other yet published; but as the variation of the compass is subject to change, the length of time between Captain Cook's last observations, and the time for which the charts are constructed, will cause some difference, unless the proper allowance is made.



## C. H. A. P. IV.

## HINTS CONCERNING THE CAUSE OF THE MAGNETIC VARIATION.

**N**OTICE has been already taken, in the Introduction, of the Hypothesis of Dr. Halley, with which he attempted to account for the magnetic variation, by four magnetic poles. From a multitude of magnetic observations, made as well in Dr. Halley's day as since, it is found that the first and last magnetic meridians are always arches of great circles. If there were, according to Dr. Halley four magnetic poles, two fixed, and two moveable, they could never admit any one magnetic meridian to be an arch of a great circle, unless all the said four poles were situated in the same plane; and as the two magnetic poles or points move round the poles of the earth at different periods, the two fixed poles of our earth, which Dr. Halley supposed were magnetical, could never continue in the same plane with those two moveable magnetic poles. Hence it must follow, that there are but two magnetic poles or points, and that the poles of this earth have no more influence on the magnetic needle than any other part of the earth.—Now there must necessarily be a cause for the needle's having an universal direction towards these two magnetic points, and this cause must either be above or below the surface of the earth. Dr. Halley supposed the cause to be a nucleus or inner globe, included within our globe, with a fluid medium between. The motion of the inner globe he thought to be communicated by the outer one. While the motion of the magnetic influence was supposed to be westward, there was some degree of reason for Dr. Halley to account for the variation as he did; but, as it is now determined without the least doubt, that the northern magnetic point moves faster than the earth, from west to east, the case seems entirely altered.

It is an established axiom, that "no cause can give what it has not itself;" how then can the earth give a swifter motion than it has itself to a nucleus therein contained. The northern magnetic point revolving

volving quicker, and the southern slower, than the earth, the apparent revolution of the northern one must be from west to east, while the apparent revolution of the southern one is the contrary way. Whereas, if the variation of the variation was occasioned by a nucleus, Dr. Halley's two moveable magnetic poles should move the same way, and with equal velocities.

To determine the periods of the magnetic points, it was necessary to know their true situations for different times. If the exact latitude of the magnetic points were well known, it would be easy to fix their longitudes. To fix their places properly, it was necessary to have more observations made near the first and last magnetic meridians. But I conceive the best mode of proving the places of the magnetic points would be to make astronomical observations on the spot. Seeing navigators have often been in much higher latitudes, it would be very easy to approach the magnetic points; for example, the northern one might be found by following the horizontal needle till it became indifferent to any particular direction; or it might be found by the inclination of the dipping needle. With a view of visiting the northern magnetic point in particular, as this expence would fall heavy on an individual, I have several times endeavoured to describe the importance of such a voyage; first to the American Congress; and again to the Board of Longitude in Great Britain; apprehending such an expedition would cast light on this mysterious principle, as it might go near to determine the cause of the variation, and pave the way to other useful discoveries; but as I have not hitherto been fortunate enough to succeed in undertaking this expedition myself, I would beg leave earnestly to recommend this matter to the particular attention of the gentlemen who, under the British Government, have the direction of the survey of the north-west coast of America. The present King of Great Britain having distinguished himself so eminently in the cause of Science, I hope this matter will not be unworthy their attention.

LET the cause of the magnetic variation be what it may, it is very remarkable that the sidereal revolutions of the two magnetic points are regularly performed in the same way, and are also very nearly equal in time to the nearest satellites of several of the planets; for instance,



the nearest of Saturn's, according to Dr. Herschell, performs one sidereal revolution in 22h. 40' 46".

---

## C H A P. V.

### CONCERNING THE CONSTRUCTION OF THE CHARTS.

**T**HE Charts are constructed in such a manner, that, if the blank gores were cut out, the remainder would fit and cover a globe forty-eight English inches in circumference. This method of projecting the sphere with the magnetic meridians will be found to preserve the true proportions of each country, and will probably shew the nature of the curves formed by the magnetic meridians better than Mercator's projection, on which the Halleyan lines are delineated; and the present projection may serve not only for Charts, but for covering globes.

THE earth's meridians meeting in the poles of the earth, the magnetic meridians meet in the two magnetic points, experience proves that the influence of one magnetic point is greater than the other; on this account, the magnetic meridians are not curves truly circular, except the first and last, which are arches of great circles. The nature of the curves being known, the proportion of influence is also known, and the curves will always be included within the most rigid rules of calculation.

To fix the places and periods of the magnetic points, thousands of calculations have been made, that do not appear in the present work; as they were made merely for trial, it is unnecessary to make them public.

In a former publication I proposed a magnetic Almanack, which will contain an universal set of tables, shewing the variation corresponding with any part of each meridian, without the trouble of measuring angles; such tables, when the places and periods of the magnetic points are proved to be true, and the theory settled, will afford a ready means of applying the principles to practice; but if by future experience the places and periods of the two magnetic points should not be found very exact, at present this will no doubt be deemed pardonable, seeing the exact length of a year has not been long determined, notwithstanding the many volumes of astronomical observations made during many centuries.

BECAUSE the variations, in Europe and America, have been formerly observed to be nearly equal in the same latitude, some have supposed the variation to be the same all across the Atlantic. Actual observations, carefully made at the present time, will prove this not to be the case; for, in sailing westward from Great Britain, the variation increases amazingly, till it comes to the greatest; and decreases again rapidly before we touch upon the coast of the new world: the change being so very great in sailing a single degree, it is hoped the observation, when well made, will be very useful.

## C H A P. VI.

### HYPOTHESIS CONCERNING MAGNETIC TIDES.

**B**ESIDES the memorable deluges of Noah, Ogyges, and Deucalion, there are innumerable other accounts of the waters of the ocean making remarkable encroachments on the land, and returning to their former bounds again. To publish a full history of these inundations would require many volumes.

AFTER



AFTER consulting a multitude of these accounts, they seem to take place according to the revolutions of the two magnetic points; for, while the magnetic points approach the meridian of any place, the sea seems to gain upon the land; and the contrary, when the magnetic points recede from any place. This appears evidently to be the case at the present time; if so, there is reason to suppose this also to have been the case in former times, although some of the ancient accounts of this sort seem to be deficient, in not fixing the epocha in which these changes have happened.

THE Chinese Emperor Xunus was full of trouble on account of the high waters, which threatened to overflow the lower parts of his Empire; after many experiments, he gave command to one Quenius, to cast up a bank against the same; but he not being able to perform it, and leaving the same imperfect, the charge of the work was committed to his son Yvus, who, in the space of thirteen years, effected it, to the great accommodation of the inhabitants. He followed his design all that time with such earnestness that he would hardly eat or sleep. Some part of this great and stupenduous work, it is said may be seen at the present day.

DIODORUS SICULUS, in his fifth book, gives an ancient story, current among the Samothracians, of a great deluge that overflowed a good part of the coast of Asia, and the lower grounds of its Islands, when the Euxine Sea first broke open the Thracian Bosphorus, and Hellespont, and overflowed all the adjacent country.

MANY of the moderns believe, that the accounts of the Great Island of Atlantis, mentioned in the Timæus of Plato, from the obscure tradition of Egyptian priests, is not altogether fabulous; and that America agrees with the ancient description thereof. At that time the account says, the Atlantic Sea was navigable, and had an Island before the Pillars of Hercules; that this Island was greater than both Lybia and all Asia together, and afforded an easy passage to other neighbouring islands. In process of time, it is said, this great Island of Atlantis, being absorbed in the Sea, entirely disappeared.

I SHALL not attempt to decide on the probability of the continent, now called America, being known to the ancients; but it seems remarkable, that the name *Chuchum-atlanes* should still be preserved in the Spanish territory in America, with a termination so nearly similar to the ancient name of that island. In a large map of the West Indies (dedicated to the King of Great Britain) by Captain Joseph Smith Speer, and in several other maps, it is placed in about the latitude of  $16^{\circ}$  north, and longitude  $93^{\circ} 30'$  west from Greenwich. If this name is derived from the ancient inhabitants of the island of Atlantis, it would seem that the whole of that great island was not destroyed by the ocean, but that some of the inhabitants retired to the high grounds, till, by degrees, the waters of the ocean retired.

THE Abbé Raynal, and others are firmly of opinion, that America has emerged from the ocean since the old world, for the following reasons.

THE broad and long rivers, the spacious lakes and vast morasses, to the north; the immense forests to the south; the almost eternal snows between the tropics; no men entirely black; very fair people under the line; a cool and mild air in the same latitude as the sultry uninhabitable parts of Africa; and, lastly, a difference of ten and twelve degrees in the temperature of the old and new hemispheres; these says he, are so many tokens of a world that is in a state of infancy.

IN Evans's first map of the American Colonies we find a note, declaring, that there are glaring marks of a deluge in America, of a more recent date than those of the old world.

THESE conjectures are strengthened by Don Ulloa, from the prodigious quantities of sea-shells, mentioned in his voyage to South America, and found far above the present reach of the sea.

IN the 18th Chapter of the System of Geography by Varenus, improved and illustrated by Sir Isaac Newton and Dr. Jurin, many memorable instances are recorded, where the sea has encroached at one time, and the contrary at others.

THE inhabitants of Ceylon say, their island was formerly separated from India; and this is very likely. In modern times, according to Buffon, the sea has encroached 30 or 40 leagues on the northern coast of Ceylon.



THE Island of Sumatra is said once to have joined Malya. It is believed it was the golden Chersonesus, and was accounted a peninsula.

THE Indians, on the Malabar coast, tell us that the Maldivia Islands were formerly joined to India; but now they are said to be divided into eleven thousand islands. The sea, encroaching, has covered the low grounds, and turned the high grounds into islands. Strange stories have been told of the Maldivia nut growing at the bottom of the sea. Garcias thought the trees, that bore those nuts, were of old time, together with the land on which they grew, overwhelmed by inundations, and afterwards cast up by the working of the waves.

VARENIUS is of opinion, that all the Oriental Islands, between Asia and the Straights of Magellan, have been occasioned by the seas breaking in violently on the land, and separating one part from another.

LANGUAGE, says Dr. Johnson, is the pedigree of nations; all the inhabitants of the Islands, scattered over the great Pacific Ocean, speaking a dialect of the ancient Malay language, proves that these people are of the same nation. As they know so little of each other, and are unacquainted with navigation, it seems unlikely they should be scattered so many thousand miles asunder, if these Islands had not been part of the same continent. May they not be the scattered remains of one great country? and might not the sea, by its encroachments, have covered the low grounds, and turned the tops of mountains into islands?

THE accounts of ancient geographers, concerning Asia, prove that continent formerly to have extended much further eastward than at present. Greek writers describe the provinces, eastward of the River Ganges, as regions of immense extent. Ctesias affirmed, that India was as large as all the rest of Asia. Onesicritus, whom Pliny the naturalist follows, contended that it was equal to a third part of the habitable earth. Nearchus asserted, that it would require four months to march, from one extremity of it to the other, in a straight line.

ACCORDING to the Abbé Raynal, the late observations of English navigators have put it almost beyond doubt, that all the islands in the South-Sea formerly composed only one continent.

BUFFON concludes, that, from Kamtschatka to New Britain, the ocean has encroached on these coasts to the extent of 400 leagues; of course, the bounds of the old continent do not stretch so far eastward as at a former period.

ANCIENT writers say, that Sicily once joined Italy; and that the Island of Eubaea, or Negropont, joined Greece: that great revolutions of this kind are daily going on, is evident by undeniable monuments, which the attentive observer of nature every where discovers; sea-shells of all kinds, and corals, entire or broken, being found laid up in order in every quarter of the globe, in places the most distant from the ocean, in the bowels of the earth and on the tops of mountains.

STRABO says that, in his time, the eastern part of Britain was visible at the River Rhine, which was then called the Helius: if so, the distance could not be more than six or seven leagues. This also appears evident from the old map of Cellarius.

THE map of Great Britain, by Ptolemy, describes the northern part thereof to run out in the form of a promontory full four degrees farther eastward than the land at present is found to extend.

WHAT Ovid says on the subject of changes is well known,

" I've seen the solid earth transform'd to sea,  
 " And water also turn'd to solid land;  
 " While fishes shells far from the ocean lie,  
 " And rusty anchors on the mountains top!"

ALL these circumstances demonstrate, that the limits of the ocean have never been insurmountable; and that, by continually changing the face of the globe, it has alternately taken away the land, and restored it to its inhabitants.

THE History of the Parisian Academy mentions a mass of sea-shells discovered below ground 130,680,000 cubic fathoms, either whole or in fragments, without the least mixture of stone, earth, sand, or other foreign matter. This prodigious mass lies in Turenne, more than thirty-six leagues from the sea, and must prove that country to have been covered by the ocean for ages, to accumulate such a quantity.

Among



AMONG the Memoirs of the Royal Danish Academy, vol. IV. is one to prove that the Baltic Sea, when the principal inhabitants of Norway and Sweden emigrated from Asia, did not cover the ground it does at present. There the waters of the ocean continue to encroach on the shores at the present time, having destroyed and overwhelmed, among many others, the famous port of Vineta, and covered, by slow degrees, a large portion of Pomerania.

THE Princess de Dalschkaw, in one of the letters she has favoured me with, remarks that "Vineta, on the coast of Pomerania, was some centuries ago one of the most flourishing mercantile towns in Germany; at present its ruins, which are often to be seen under water, are the ruin of many a ship. It is universally believed, that the same revolution, by which Vineta was overwhelmed, severed also the Isle of Rugen from the German continent, of which it was till that time the most northern point."

IN the same manner the sea, by washing the coast of Norway, is well known to have detached several little islands from the main land; and is still making daily depredations on the continent. The German ocean, encroaching by degrees upon the shores of Holland, near Catt, overwhelmed the ruins of an ancient citadel of the Romans, which had formerly been built on that coast, and which is now actually under water.

AT Rome, according to M. de la Condamine, the tide often overflows the pavement of the Pantheon, and it cannot be supposed the Romans would have built that Temple on a spot that was then subject to inundations.

VENICE is now distant only five miles from the continent, but was formerly, according to Guicciotti, ten miles from it; yet as the sea thereabout is now rising, it may again be further from the continent than ever.

IN a History of the Earth and animated Nature, Dr. Goldsmith remarks, that the country round the Isle of Ely, in the time of the Venerable Bede, about a 1000 years ago, was one of the most delightful spots in the whole kingdom. It was not only richly cultivated, and produced all the necessaries of life, but grapes also, that afforded the most

most excellent wines. The accounts of that time are copious in the description of its produce and fertility. But about the time the northern magnetic point was last on the same side of the earth as Great Britain, the sea broke in upon the land, and overwhelmed the whole country, and totally destroyed one of the most beautiful vallies in the world.

ABOUT the same time happened a mighty inundation, which extended to Flanders, whereby a great part of that country was laid under water; and many of the distressed people bereft of their habitations, came over to England. King Henry the first taking compassion on their distressed condition, and also considering that they might be beneficial to his subjects, by instructing them in manufactures, first settled them about Carlisle, and afterwards removed them into South Wales.

THEN it was that a large estate, the patrimony of Earl Goodwin, was overflowed at the place which is now called Goodwin Sands.

IN a survey of Cornwall, Carew affirms, that the sea has swallowed up the whole county of Liones; and that there was such a county, he sufficiently proves by many cogent reasons. Camden, out of Gyraldus, reports that anciently a great part of Pembroke-shire ran out, in the form of a promontory, towards Ireland, as appears by the speech of King William Rufus, that he could easily with his ships, make a bridge over the water, now called Saint George's Channel; so that he might pass on foot from thence to Ireland.

THE Country round the Isle of Ely continued to be covered by water, as before mentioned, for many years, till the time the northern magnetic point had passed the meridian of the place, when the sea, from the same cause which had prompted its invasions, began by degrees to abandon the earth in like manner.

THE ocean seems to have retired round England, and the neighbouring countries, till the northern magnetic point, according to its rate of revolution, was on the opposite side of the earth from England; for it appears by an account of the institution of the Royal Society, that, in the year 1663-4, the ways and means of raising a revenue being considered,



dered, a member of that learned body, of the family of Howard, proposed soliciting the King for a grant of such lands as the ocean had deserted.

HUBERT THOMAS, sometime chief Secretary to Frederick Count Palatine of the Rhine, and Prince Elector, in his description of the country about Liege, says that the sea hath come up to Tongres, now near an hundred miles from it. Guicciardin, it is true, could hardly believe it; but Verftigan and others were of the same opinion with Hubert Thomas, and thought the reasons for his assertion were good; one, among others was, that the great iron rings were then remaining, unto which the ships were formerly fastened.

ANCHORS having been found in digging on the heath in Brabant, seems to prove that place to have been covered with the ocean, and that not many hundred years ago; for had it been at a very early period, the anchors before now must have been consumed with rust.

THE two magnetic points approaching the meridian of Greenwich, at the present time, it appears both from observation and information, that the ocean continues to make rapid encroachments on the land; at least, on every part of the sea coast of Europe; and, I think, too rapidly to keep pace with the precession of the equinoxes, which some have conjectured to be the cause of the revolution of the ocean.

WHAT the sea gains on one side of the globe, it loses on another; but it is improbable the sea could rise and fall at the same instant at two different places, very near to each other. At first view this may appear to be the case, when the water grows shallower; but the water often grows shallower, or the land gains, on the same coast where the sea rises, owing to the earth, sand, and other sediment, settling at the bottom.

IN the Pacific Ocean is a space where both magnetic points have now a retrograde motion; in this space the waters of the ocean continue to fall. Dr. John Reinhold Forster, in his Observations during a Voyage round the World, page 146, 147, gives an instance, in the South Sea, where he could fairly perceive that the ground had been raised; or, in other words, that the waters had fallen. And Captain Cook, in describing

ing Palmerstone's Islands, in the first volume of the account of his last Voyage, page 221, says,

"We found upon them, far beyond the present reach of the sea, even in the most violent storms, elevated coral rocks which, on examination, appeared to have been perforated in the same manner the rocks are that now compose the outer edge of the reef. This evidently shews, that the sea had formerly reached so far; and some of those perforated rocks were almost in the centre of the land."

In the 485th page of the 2d. volume, Captain Cook gives an account of the Peninsula at Cape Denbigh, and remarks, "It appeared to me, that this Peninsula must have been an island in remote times; for there were marks of the sea having flowed over the Isthmus. And even now, it appeared to be kept out by a bank of sand, stones, and wood, thrown up by the waves. By this bank it was evident, that the land was here encroaching upon the sea, and it was easy to trace its gradual formation."

It is highly probable these revolutions of the ocean are governed by laws as uniform as the common tides; if these laws were once fully known, we might calculate a deluge as well as the return of a comet; and it would be of the utmost importance in geography; for, let a map of the world be ever so correct, in process of time, as the ocean continuing to gain in some places, while it loses in others, the map becomes erroneous. And after knowing the proportion between land and sea throughout the globe, as we know already the number of acres contained in the whole, the quantity of land emerging every year might also be easily estimated: this in round numbers I take to be about two millions.

If, when the northern magnetic point approaches the meridian of any place, the ocean should uniformly be found to rise, so as to cover the low grounds, this may be termed a magnetic tide; and if, when both magnetic points are in conjunction, the ocean should rise, so as to cover the higher grounds, this may be termed a magnetic spring tide.

HOWEVER, as this last chapter is only a digression by way of Hypothesis, should it prove contrary to future experience, this will not affect the foregoing theory, with which it is unconnected, and which admits of mathematical demonstration.

#### APPENDIX.



---

# A P P E N D I X.

---

A FEW OF THE

## REPORTS, OPINIONS, &c.

RECEIVED BY THE AUTHOR,

ON THE PRINCIPLES OF THE PRECEDING WORK.

---

From the American Minister and Plenipotentiary, then at the Court  
of France.

SIR,

*Paris, August 8, 1787.*

I HAVE duly received your favour of June 6th, and immediately communicated its contents to a member of the Academy. He told me they had received the other copy of your memorial; which you mention to have sent through another channel; that your ideas were not conveyed so explicitly as to enable them to decide finally on their merit: but they had made an entry on their journals to preserve to you the claim to the original idea. As far as we can conjecture it here, we imagine you make a Table of Variations of the needle for all the different meridians whatever. To apply this table

K

to

to use in the voyage between America and Europe; suppose the variation to increase a degree in every 160 miles, two difficulties occur; 1st. A ready and accurate method of finding the variation of the place. 2d. An instrument so perfect as that (though the degree on it shall represent 160 miles) it shall give the parts of the degree so minutely as to answer the purposes of the navigator. The variation of the needle at Paris actually is  $21^{\circ}$  W. I make no doubt but you have provided against the doubt entertained here, and I shall be happy that our country may have the honour of furnishing the old world with what it has so long sought in vain. I am, with much respect,

SIR,

Your most obedient humble servant,

*Mr. John Churchman.*

T. JEFFERSON.

Entry on the Journals of the Academy of Sciences at Paris.

LA lettre de M. Churchman, de Philadelphie, sur la variation de l'aiman, a été lue à l'Académie des Sciences de Paris, le 16 Juin, 1787.

J<sup>e</sup> certifie cet extrait conforme aux registres de l'Académie à Paris, le 15 Septembre, 1789.

LE MARQUIS DE CONDORCET.

From Sir Joseph Banks, Bart. President of the Royal Society of London, &c.

SIR,

*Soho-Square, September 1st, 1787.*

I HAVE received your ingenious letter relative to the variation of the needle, and take the liberty of advising you to pursue, with diligence, a subject on which it appears to me you have made a progress,



progress, sufficient to authorize a reasonable hope, that science will derive real increase from your labours.

THE Royal Society having lately removed into a new house, the first series of observations relative to the variation is only now in its course. I cannot therefore tell you with the utmost precision what the variation is there, our instrument at present gives  $23^{\circ} 8'$  west, which probably is sufficiently exact for your purpose: presently, when the instrument is moved, we shall find if the magnetism of the building has any material effect upon it; of which, if it has, I shall with pleasure inform you. I am,

SIR,

Your obedient and most humble servant,

*Mr. John Churchman.*

JOSEPH BANKS.

From the Legislature in Maryland, dated at Annapolis, in December 1787.

SIR,

I AM commanded by the Honourable House of Delegates, to return you their thanks, for your communication and explanation of your ideas relative to the principles of magnetism, and their application in regulating the Surveys of Land; and I with pleasure return you the thanks of the House accordingly.

I am, &c. &c.

*To John Churchman,  
Esquire.*

THOMAS C. DEYE,  
Speaker of the House of Delegates.

From Sir H. Parker, Bart.

SIR,

*Admiralty, 20th December, 1787.*

I HAD the honour, at the meeting of the Commissioners of the Longitude, the 8th of this month, to lay before them the memorial you some time ago transmitted to me, stating, that you have discovered certain fixed principles in magnetism which will ascertain, to a great

precision, the longitude of places in all parts of the globe, &c. and I am directed to acquaint you, the Board have the subject matter of your said memorial under consideration, and will take an early opportunity of giving you their sentiments upon what you have submitted to them. I am,

SIR,

Your most humble servant,

H. PARKER,

Secretary to the Commissioners of the Longitude.

---

R E M A R K.

THE next Letter I was favoured with, from the British Board of Longitude, was dated 6th of March, 1788. This contains information concerning the magnetical Memoir of Professor Leonard Euler, published at Berlin in the year 1757, and mentioned already in the introduction. Each plan proposed for the solution of this problem consists of two parts. 1st. The means, 2d. The method. The lunar method being by means of the sun or stars, and the moon; and the magnetic method, by means of the two magnetic points. If Professor Euler only by discovering there were but two magnetic poles, or points, discovered the magnetic method, without fixing the latitudes, longitudes, revolutions, or courses of the two magnetic points; might it not by the same rule be said, that he who first discovered the sun and moon, discovered also the lunar method. But the lunar method was imperfectly known before Sir Isaac Newton laid down the true theory of the moon; after which Professor Euler reduced the theory to elegant algebraical expressions; of which Tobias Mayer availing himself, he was by a very singular address enabled to bring out the maximum to a considerable degree of exactness. Yet the lunar method was of but little use before the Nautical Almanac was planned by Doctor Maskelyne, the Astronomer Royal, and published under the direction of the Board of Longitude; nevertheless the answer of the Board was very proper for that stage of the business. Seeing the  
Board



Board were not then in possession of my calculations. The object of my first memorial was merely to introduce the subject to their notice, with an intention of bringing forward my demonstrations at a future day.

Report of a Committee of the American Congress, published in the Journal.—In the house of representatives of the United States, Monday 20th of April 1789.

MR. TUCKER reported from the Committee, to whom was referred the petitions of John Churchman and David Ramsey \*; that the Committee had, according to order, the said petitions under consideration, and agreed to report thereupon: which he delivered in at the Clerk's table, where the same was twice read, and debated by clauses: the first clause, in the words following—To wit, "The Committee have conferred with Mr. Churchman, and find he has made many calculations, which tend to establish his position, that there are two magnetic points which give direction to the needle. That, upon this doctrine, he has endeavoured to ascertain, from a given latitude and a given variation, what must be the longitude of the place; and, having applied his principles to many instances in Cook's Voyages, has found the result to correspond with considerable accuracy with the real facts, as far as they could be determined by the reckoning of the ship. That the object, to which Mr. Churchman's labours are directed, is confessedly of very high importance, and his ideas on the subject appear to be ingenious. That with a view of applying them to practice, he has contrived a map and a globe, whereby to shew the angles which are made by the intersection of the real and the magnetic meridians, in different parts of the earth. That he is also engaged in constructing tables, for determining the longitude at sea upon magnetic principles. That the Committee are of opinion, that such efforts deserve encouragement; and that a law should pass to secure to Mr. Churchman, for a term of years, the exclusive pecu-

\* The petition of Dr. David Ramsey related to his celebrated History of the Revolution.

"niary emolument to be derived from the publication of these several inventions," was read: and, on the question being put thereupon, agreed to by the house.

THE second clause in the words following, to wit: "With respect to the voyage, proposed by Mr. Churchman, to Baffin's Bay, the Committee are cautious of recommending, in the present deranged state of our finances, a precipitate adoption of a measure, which would be attended with considerable expence: but they are of opinion, that, at a future day, if Mr. Churchman's principles should be found to succeed in practice, it would be proper to give further encouragement to his ingenuity," was again read: and, on a motion made, ordered to lie on the table.

ON motion, ordered, "That a bill or bills be brought in, making a general provision for securing, to authors and inventors, the exclusive right to their respective writings and discoveries; and that Mr. Huntington, Mr. Cadwallader, and Mr. Contee, do prepare and bring in the same."

Extract from the Journal.

JOHN BECKLEY, Clerk.

Extract of the Opinion of Professor Van Swinden.

"TO determine the longitude, by observations on declination, is a great undertaking, and worthy of all our encomiums. Navigators are most interested in its good success. This success depends, I think, upon the complete solution of these two very interesting problems: First, to determine by theory what must be, at a given time, the declination of the magnetic needle, for every point of the globe; or for every place, whose longitude and latitude are given. Secondly, in a place whose latitude is given, the declination at a certain time being known, to conclude its longitude, by comparing the said observations with the theory.

"THE first problem consists of two parts; the one purely mathematical, the other physico-mathematical; because it is a question to draw from



from the observations the chief data, upon which the real calculations are to be founded.

" I AM sure those, who apply themselves on the discovery of general laws of variations, do a very useful work; because, by those means, the general cause, and the influence of the peculiar ones, will be better known. Besides, it is not impossible at all, to come by multiplied enquiries to a knowledge of those laws."

---

Report made to the Marine Society in Philadelphia.

GENTLEMEN,

YOUR Committee appointed the first Monday in April last, for the purpose of waiting upon Mr. John Churchman, agreeable to a request contained in his letter to the Society; make report, that they have had a conference with Mr. Churchman, who communicated to them a plan and chart, which he was preparing, as well as tables, for the purpose of ascertaining the longitude, from the variation of the needle, by two magnetic points revolving in orbits; and we, having considered the same, are of opinion, that it is a work of great merit, and may be of material use in Navigation; but the certainty of its effects depends upon experience. Upon the whole, we think it worthy of patronage, and therefore take the liberty of recommending it to the Society.

CHARLES BIDDLE.

WILLIAM ALLIBONE.

*July 5th 1790.*

---

Letter by order of General Washington.

SIR,

*New York, August 28th, 1790.*

THE President of the United States has received a copy of the Magnetic Atlas, or Variation Chart, together with the Book of explanation, which you have been so polite as to send him; and requests your acceptance of his thanks for the same.

I AM,

I AM, moreover ordered by the President to inform you, that, being desirous of encouraging such publications as tend to promote useful knowledge, he requests you will consider him as a subscriber to your Work.

I am, SIR,

Your most obedient servant,

TOBIAS LEAR.

Secretary to the President of the United States.

Extract of an Opinion published January 1791, with the Reports of the George Augustus University at Gottingen, under the Inspection of the Royal Society of Sciences there.

"THE explanations and propositions prove, that the author has treated his subject very methodically."

Extract of a Letter from the Astronomer Royal, at Berlin, to a Nobleman at Hamburgh, dated February 5th, 1791.

"THESE reflections are produced by your sending me the Letter, the Memoir, and Chart of Mr. Churchman. The Royal Academy had lately received duplicates of the same by another channel, and were engaged in examining them, with a view of giving some satisfaction to the author, with respect to his desiderata. I have now the honour of sending you, for Mr. Churchman, the report of the commissioners appointed to examine his work.

"M. FORMEY, in quality of perpetual secretary, had it in charge to accompany these papers with a congratulatory letter to Mr. Churchman; but as he is now 80 years of age, his activity is much diminished. To prevent delay, I have proposed to him to dispense with this letter, taking it upon myself to excuse him, in which I hope you will join your influence."

Signed, BERNOULLY.

Extract



Extract from one of the Commissioners' Reports made to the Royal Prussian Academy of Sciences and Belles Lettres, at Berlin.

"THE Academy without doubt will require, that agreeable to custom, I declare my own sentiments concerning the work, of which I am giving an account. I shall make no reflections on the great importance of the object on which it treats. I could only say, on that head, things generally admitted. Mr. Churchman is entitled to an eulogium, for having consecrated a number of years to making researches on the variation of the compass. As a new proof of his zeal, he proposes, as soon as circumstances will permit, to make a voyage to the place where he imagines the northern magnetic point may at present be found. He hopes there to make important observations. The bare intention of the author is sufficient to do him much honour; as to its being effected, it is, for many reasons, worthy of attention. It was known that the two magnetic points had a motion, but Mr. Churchman is the first who, to my knowledge, has dared to determine this movement, and to assign their periodical times. This step is bold, without doubt; but it is good that it is made; it will serve to awaken the attention of Geometricians and Astronomers. They may examine and discuss the theory of Mr. Churchman; compare it with the new observations; and attempt to modify his hypothesis, till they may approach to exactness, as near as can be hoped in sciences physico-mathematical.

"ALTHOUGH no influence of the magnet upon the waters has till now been remarked, we may tolerate this explication, as that has been tolerated which was founded upon the influence of comets; and as we have tolerated the idea of an original conflagration of the earth, and its succeeding temperature.

"BURJA."

L

Letter

Letter from her Highness the Princess of Daschkaw, Privy Counsellor to the Empress of all the Russias, President of the Imperial Academy of Sciences at Petersburg, Knight of the (Female) order of St. Catharine, &c.

SIR,

THE Contents of your letter, which we received with the enclosed Magnetic Atlas, and its explanation, in due time, were the more interesting and agreeable to the Imperial Academy of Sciences, as the same matter is the subject of a Premium even now proposed by our Academy, as you will see by the printed advertisement I send you herewith.

THE progress you have already made gives me a pleasant hope, this important matter will derive no small increase from your ingenious works; and I make no doubt but your labours will greatly contribute to the final solution of this question. By the communication of your further enquiries and discoveries, especially relating to the southern hemisphere, the calculation of an universal set of tables, and the ascertaining of the exact revolutions of the two magnetic points round the poles of the earth, by a greater number of observations, you will very much oblige your humble servant,

PRINCESS OF DASCHKAW.

St. Petersburg, Feb. 27th 1791.

*To Mr. John Churchman.*

---

Extract of a Letter from the Royal Society of Copenhagen, dated March 15th, 1791.

"THE Society is obliged to Mr. Churchman for the communication of his elaborate treatise, and cannot but admire his genius, and praise the sagacity with which he has built up a system, wanting neither beauty nor symmetry. The attempt of Mr. Churchman to  
clear



clear up this dark matter is very laudable, and cannot but meet with the approbation of the Natural Philosopher.

" By order of the Society,

" CHRISTIAN FREDERICK JACOBI,

" Perpetual Secretary."

Extract from the Report made to the Honourable Patriotic Encouraging Society of Arts and Commerce, at Hamburgh, by its commissioned Members, dated March 16th, 1791.

" THE investigations of an Euler, a Tobias Meyer, &c. &c. to solve this Problem, with all the additional improvements made since by other men of renown, with the help of Astronomy, must appear in a very indifferent light, compared with Mr. Churchman's easy mechanical method; for, whatever those ingenious men have been able to collect, by their profound calculations and laborious observations, is now to be performed by a simple scale.

Signed, " BRODHAGEN

" REINKE."

Extract of a Letter from the Royal Academy of Lisbon, dated May 19th, 1791.

" THIS Royal Academy has received, by two different ways, nearly at the same time, your explanation of the Magnetic Atlas; commission was instantly given to Gentlemen of the Profession and Mathematicians, Members of the Society, to examine it accurately, and to bring in their advice in some of the ordinary academical meetings; this they have performed, and I am directed to send you, in this letter, the result of their examination and advice. They acknowledge the originality and usefulness of your ideas and scheme, and that both highly deserve to be encouraged. They believe indeed, that when the propositions you enunciate are demonstrated, a great step will be made towards the perfection of magnetic knowledge. These demonstrations they expect from you, and in the mean while they readily accept the invitation of giving you what magnetical observations

it will be in their power to afford you. As, for my part, I am, with sentiments of esteem and respect, SIR,

"Your most obedient,

"Humble servant,

"JOSEPH CORREA DE SERRA,

To Mr. John Churchman.

"SECRETARY."

Extract of a Letter dated Cambridge, 5th March, 1792.

"SIR,

"YOUR late communications were presented to the American Academy of Arts and Sciences, the 29th ultimo, and I am directed to return you the thanks of the Academy for the same.

"I HAVE the pleasure to assure you, that the Society is pleased with your application to the subject, and highly approves your very laudable design of improving magnetic observations. Convinced of the importance of ascertaining, with accuracy, the magnetic variations in different parts of the globe, the Academy wishes you success in your proposed voyage; and that it may contribute towards perfecting a discovery highly useful to mankind. With sentiments of due respect,

"I am SIR,

"Your obedient humble servant,

"ELIPHALET PEARSON,

To John Churchman, Esq.

"Corresponding SECRETARY."

Letter from General Washington, President of the United States, on sailing to Europe, dated Mount Vernon, September 10th, 1792.

SIR,

YOUR Letter of the 5th did not reach my hands until the 8th, and this is the first opportunity that I have had to give the receipt of it an acknowledgement.

I have enclosed you two short letters of introduction to our Ministers at the courts of Paris and London. I wish your voyage may answer your own expectations, and that the discovery may be beneficial to mankind, being, Sir, Your very humble servant,

G. WASHINGTON.

Mr. J. Churchman.



# L I S T of S U B S C R I B E R S.

## A.

**T**HE Imperial Academy at Petersburg.  
The Royal Academy at Berlin.  
The Royal Academy at Lisbon.  
The Royal Society at Copenhagen.  
Right Hon. Earl of Ashburnham.  
George Adams, Mathematical Instrument-Maker to his Majesty, and Optician to his Royal Highness the Prince of Wales.  
Alexander Aubert, Esq. F. R. S. and A. S.  
William Anderson, Esq.  
A. Arrowsmith, Geographer.  
Dudley Adams.  
Thomas Aston.

## B.

SIR JOSEPH BANKS, Bart. President of the Royal Society, &c.  
Dr. Edward Bancroft, F. R. S.  
Alexander Brodie, Esq. M. P.  
William Baker, Esq. M. P.  
Captain John Blankett, Royal Navy.  
Dr. Thomas Bradley, F. M. S. Physician to the Asylum.  
William Hibbs Bevan, Esq. Lincoln's Inn.  
David Barclay.  
Robert Barclay.  
Robert Barclay, Banker.  
Joseph Gurney Bevan.

Wilson Birkbeck.  
Joseph Brown.  
William Bolland, B. A. Cambridge.  
John Bevans.  
John Bruckshaw.  
Thomas Blunt, Mathematical Instrument-Maker to his Majesty.  
Birkbeck, Blakes, and Co.  
John Besumont.  
S. Brady.  
Joseph Barns, 3 Copies.  
E. P. Bridel.

## C.

HIS ROYAL HIGHNESS PRINCE WILLIAM HENRY, Duke of Clarence, Rear Admiral of the Blue, &c. &c.  
Tiberius Cavallo, F. R. S.  
Sir Thomas Coxhead, M. P.  
John S. Copley, Esq. R. A. Member of the American Academy of Arts.  
Rev. Thomas Clarkson.  
Alexander Champion, Esq.  
J. Clark, Esq. Banker.  
William Constable, Esq.  
John Clark, M. D.  
Daniel Coxe, Esq.  
Joseph Cockfield.  
John Corbyn.  
Richard Chester.

Thomas

Thomas Compton.  
Joseph Carter.  
William Cole.  
John L. Clarkson.  
J. Cleggit.  
Miller Christy.  
Richard Thomas Clark.  
M. and W. Church,  
John Coventry.  
J. Cook.  
H. Causton.  
R. Causton.

## D.

ALEXANDER DALRYMPLE, Esq. F. R. S.  
Rev. Jacob Duché.  
Samuel Denton, Esq. Navy Agent.  
John Talbot Dillon, Esq. Assistant Secretary to the Board of Agriculture.  
A. and W. Driver.  
Charles Dilly, Bookseller.  
Day, Grant, Banton, and Ward.  
John Daniel.  
Quintin Dick.

## E.

E. EDWARDS, Esq.  
T. and J. Egerton, Booksellers.  
John Eliot.  
James Earl.

## F.

WILLIAM FADEN, Geographer to his Majesty.  
Joseph Fox, M. D.  
Forster, Lubbock, Bosanquets, and Clark.  
A. Fothergill.  
Thomas Fothergill.  
James Ferguson.  
William Storrs Fry.  
G. M. Flowers.  
Edmund Fry.  
John Field.  
Thomas Foster.

Joseph Foster.  
T. Freeman.  
Jon. Ferris.

## G.

GILBERT, Wright, and Hook, Opticians.  
George Grote, Esq.  
Col. Gordon.  
John Gray, Esq.

## H.

DR. WILLIAM HERSCHELL, F. R. S. private Astronomer to his Majesty.  
Joseph Huddart, Esq. F. R. S. one of the Elder Brethren of the Trinity-House.  
Rev. Samuel Harper, F. R. S.  
John Hollingworth, Esq.  
John Hoppner, Esq. Portrait Painter to his Royal Highness the Prince of Wales.  
Charles Hutton, L. L. D. and F. R. S.  
George Harrison.  
Samuel Hoare.  
Jon. Hoare.  
Jeremiah Harman.  
Robert Howard.  
William Howard.  
Hardcastle and Crosby.  
John Hatchett.  
John Hood, Esq.  
Thomas Harding, M. R. I. A.  
Ms. Hathaway, Christ's Hospital.  
Joseph Hancock.  
James Heskett, Map and Print-seller, 6 copies.  
J. Hamilton.  
John Heylyn.

## I.

JOSHUA JOHNSON, Esq. American Consul General.  
Hon. Charles Jones, Captain of the Sybil.  
Rev. T. Jones, Fellow Trinity-College. Cambridge.  
W. and S. Jones, Opticians.

Chr.



# SUBSCRIBERS NAMES.

79

Chr. Idle.  
Thomas Jeffries.  
S. Jennings.

## K.

Professor James Kidd.  
James Kershaw.  
Samuel Kendall.  
Peter Keir.  
John Kincey.

## L.

RIGHT HON. MARQUIS OF LANDSDOWNE.  
Captain E. F. Lawrence.  
Dr. John C. Lettsom, F. R. S. &c.  
Dr. J. Lorimer, F. R. S. Edin.  
Samson Lloyd.  
John Lloyd.  
Ebenezer Leadbeater.  
Nicholas Lutyens.  
John Lister.  
William Leatham.  
Charles Lincoln.  
Joseph Leaper.  
John Lindsey.

## M.

DR. NEVIL MASKELYNE, F. R. S. Astronomer Royal, &c.  
Edward Mead, Esq. Boxmoor Herts.  
Captain Mendoza, Spanish Navy.  
Charles Minor, M. D.  
Henry Moyes, M. D.  
Robert Morris, Esq.  
James Mainstone, Esq.  
Captain Reuben Macey.  
George Margetts.  
William Murdock.  
Josiah Messer.  
K. M. Cullogh.  
John Mandeville.  
John Monier.  
William Morgan.

John P. Merry.  
Alexander Macauley.

## N.

NATHANIEL NEWNAM, Esq. Alderman, and Colonel of Militia, London.  
John Northcote, R. A.  
John Newton, Esq.  
Patrick Rooney Nugent, Esq.  
Edward Nairne, Mathematical Instrument-Maker to his Majesty.

## P.

HONOURABLE LADY JULIANA PENN.  
Thomas Pinckney, Esq. American Minister, and Plenipotentiary.  
Governor Penn.  
William Penn, Esq.  
Henry Poole, Esq. Woodford.  
Thomas Pole.  
Richard Phillips, Swansea.  
J. C. Pearfall.  
Philip Perring.  
R. P.  
Robert Podmore.

## R.

RIGHT Honourable Lord Viscount Ranelagh, Ireland.  
John Relph, M. D.  
William Roberts, Esq. Barrister at Law.  
Dr. Robertson.  
Legh Richmond, B. A. Cambridge University.  
William Rotch.  
Foster Reynolds.  
Samuel Rose.

## S.

JAMES STRACHAN, Esq. one of the Elder Brethren of the Trinity-House.  
Thomas Skinner, Esq. Alderman, London.  
Frederick Schoenborn, Esq. Secretary of Legation to his Danish Majesty.

Captain

Captain Charles Stirling, Royal Navy.  
 Granville Sharp, Esq.  
 Joseph Sands, Esq.  
 Joseph Sherburne, Esq.  
 John Sewell, Bookseller.  
 George Stacey.  
 Joseph Smith.  
 Frederick Smith.  
 James Sheppard.  
 Robert Sayer.  
 John Sutton.  
 Smith, Weinhold, and Co.  
 Benjamin Savage  
 J. Savage.  
 W. D. Smith.  
 Joseph Seger.

## T.

CAPTAIN Thomas Truxton.  
 John Tuffen Esq.  
 Thelluson, Brothers, and Co.  
 P. W. Thomas.  
 John Townsend, Jun.  
 Thomas Taylor, Lloyd's Coffee-House.  
 W. Tucker.

## V.

WILLIAM VAUGHAN, Esq.  
 Dr. George Vaux.

N. B. If the names of any Subscribers are omitted, it is because they did not come to hand before the above list was printed.

## W.

GENERAL WASHINGTON, President of  
 the United States.  
 Benjamin West, Esq. Historical Painter to  
 his Majesty, and President of the Royal  
 Academy.  
 Adam Walker, Member of the Dublin So-  
 ciety, Lecturer on Philosophy to the Duke  
 of Gloucester; Eton, Westminster, and  
 Winchester Colleges.  
 William Woodville, M. D.  
 Robert Willan, M. D.  
 Ralph Walker, Esq.  
 Rev. Elhanan Winchester.  
 Joseph Woods.  
 William Walker.  
 Thomas Were.  
 William Were.  
 John Warder, and Co.  
 C. P. Walker.  
 John Walker.  
 Owen Weston.  
 Thomas Workman.  
 John Wilcocks.  
 B. Workman, A. M. and M. A. P. S.

## Y.

ARTHUR YOUNG, Esq. Secretary to the  
 Board of Agriculture.

THE END.



Fig. II.

# A STEREOGRAPHIC

PROJECTION of the SPHERE  
on the Plane of the first  
Magnetic  
Meridian.





Fig. I.



London. Published July 1794.






Fig. I.

